



**Supplying and Fixing of Road Signages & Other  
Road Safety Appurtenance including Thermoplastic  
Paint Road Marking on various roads in Rajasthan  
developed by RIDCOR (Package-2)**

**TENDER DOCUMENT FOR  
OPEN COMPETITIVE  
BIDDING**

**Road Infrastructure Development Company  
of Rajasthan Ltd. (RIDCOR)**

701-706, 7<sup>th</sup> Floor, ARG Corporate Park  
Gopalbari, Ajmer Road, Jaipur-302001 (Rajasthan)  
Tel. (0141) 2747001/2, Fax : 0141 - 2747010  
E-Mail : [office@ridcor.in](mailto:office@ridcor.in)

**March, 2024**

# **ONLINE TENDER INVITATION**

RIDCOR invites online post qualification competitive tender for “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**” from eligible bidders. Tender shall only be submitted through online tendering system of [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in). The interested bidders shall have to be enrolled/registered with portal of [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) for participating in the tendering process.

**The schedule of dates is as follows:-**

<b>S. No.</b>	<b>Schedule</b>	<b>Date</b>	<b>Time</b>
1.	Document Download Start Date	04.03.2024	5.00 p.m.
2.	Tender Submission Start Date	04.03.2024	5.00 p.m.
3.	Tender Submission End Date	26.03.2024	6.00 p.m.
4.	Technical Tender Opening Date	27.03.2024	11.30 a.m.
5.	Financial Bid Opening Date	To be conveyed later	

**Detail of tender:**

<b>Sr. No.</b>	<b>Name of work</b>	<b>Approx. value (Rs. in Cr.)</b>	<b>Bid Security (in Rs.)</b>	<b>Tender Fee</b>
1	Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)	4.13	8,26,000	Rs. 11,800/- (incl. GST) as bid fee (non-refundable) and Rs. 2000/- as processing fee

## Terms & conditions of Tender

Tenderers should read these conditions and the complete tender document for Technical part and financial part carefully and comply strictly while submitting their tenders.

1. Tender shall be submitted online only through [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in)
2. No physical/offline Tender/bid shall be accepted.
3. The Bid Security, Tender Fee and Processing Fee of RISL shall only be accepted through Electronic mode of payment like RTGS/NEFT/Inter Bank Transfer/Bank Guarantee. The details of unit bank account for payment of Bid Security, Tender Fee and Processing Fee through Electronic mode of payment are as under :
  - a) Beneficiary Name : RIDCOR Ltd.
  - b) Account No. : 2164002100008369
  - c) Beneficiary Bank : Punjab National Bank
  - d) Beneficiary Branch : Large Corporate Branch, Tolstoy House, New Delhi-110001
  - e) Branch IFSC Code : PUNB0216400

The bid security in the form of Bank Guarantee shall be submitted by the bidder at least one day before the date of opening of the technical bid of tenders at RIDCOR Head Office, Jaipur.

4. Tenderer/Bidder should specifically mention UTR No. (Unit Transaction Reference) in his bid.
5. The time period for completion of the work is 06 months. Employer reserves the right to modify the scope of work and the period of Contract for additional 6 months on mutual consent basis for which contractor shall not be eligible to submit any claim for such modification.
6. Director/Manager, RIDCOR reserves right to cancel the Tender without assigning any reason to the Bidder or anyone else.
7. Conditional Tender and casual letters sent by the contractors about the tender will not be accepted.
8. Any representation on the procedure of tendering after opening of tenders shall be ignored. Such parties may be debarred from tendering in future for a period of 1 year.
9. Tenderers are requested to read the instructions in the Tender Document and

visit the site before submitting the Tender/Bid online.

10. Director/Manager (RIDCOR) reserves the right to finalize the bid in a fair and transparent manner in the best interest of the Company and such decision shall be final and binding on the tenderers.
11. Director/Manager (RIDCOR) reserves the right to accept any tender not necessarily the lowest tender and reject any or all tender/ tenders without assigning any reason thereof.
12. The tenderer shall not assign or sublet his tender or any part thereof to any other agency without prior written approval of Director/Manager or authorized representative of RIDCOR.
13. The tenderer who is registered under the GST & having valid GST No., shall only be eligible to submit the bids. The GST number should be indicated and a copy attached with the tender submission.
14. The tenderer shall indicate Permanent Account Number issued by the Income Tax Authority. The successful bidder has to submit KYC in the prescribed format appended herewith and shall submit required KYC documents before signing of the contract agreement.
15. The Bill of Quantities (BOQ) along with the rates as per RIDCOR indicating total amount are annexed at Section-7. The bidder has to quote the %above or below the total amount in Financial Proposal of the online bidding for this work.
16. **All the enclosed documents, Performa's, annexures, appendices, certificates etc. should be digitally signed by the tenderer & must be submitted online at [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in)**
17. **Release of Bid security:**
  - (i) Bid security of the bidder except L1 & L2 shall be released immediately upon receipt of request by the bidder in original or through Email.
  - (ii) Bid security of the L2 bidder shall be released after execution of contract agreement by the L1 bidder or 30 days of issuance of Letter of Acceptance (LOA) to L1 bidder or bid validity period, whichever is earlier.

Bid security of the L1 bidder shall be released after submission of Performance Security and execution of contract agreement by the L1 bidder. The bid security of L1 bidder available in cash may be adjusted against performance security on request of L1 bidder.

18. **Forfeiture of Bid Security:** The Bid Security will be forfeited in the following cases:
- (i) When tenderer withdraws or modifies the offer after opening of technical bid of tender.
  - (ii) When tenderer does not submit the undertaking with respect to Clause 2.3 of ITB within the specified time.
19. Successful tenderer will have to execute the contract agreement on requisite non-judicial stamp papers as per norms of GoR.
20. **Performance security:**
- (i) The successful tenderer shall submit performance security amounting to 5% of total cost of work as per work order in the form of FDR/TDR/DD/Bank Guarantee issued from a Nationalized/Scheduled bank within 14 days of issuance of Letter of Acceptance (LOA). If, performance security is not submitted within the prescribed time then penalty of Rs. 5,000 per day shall be levied on the successful tenderer upto 30 days (penalty period) beyond specified time of 14 days. If the performance security is not submitted within 60 days beyond specified time, Director/Manager, RIDCOR reserves the right to accept the performance security in case of further delay with penalty of Rs 10,000 per day beyond 30 days thereafter.  
  
The performance security may also be accepted through Electronic mode of payment like RTGS/NEFT/Inter Bank Transfer in the name of RIDCOR Ltd.
  - (ii) The bid security deposited at the time of tender in the form of RTGS/NEFT/IMPS will be adjusted towards performance security amount on written request of successful bidder. The bid security in the form of Bank Guarantee shall not be adjusted in the performance security, but shall be returned on depositing the performance security for the contract.
  - (iii) No Interest will be paid by RIDCOR on the Bid Security or Performance security or Security Deposit.
  - (iv) The performance security shall be released upon completion of 1 year after satisfactory completion of work. If, the tenderer fails to deposit the required performance security or to execute the agreement within the specified period such a failure will be treated as a breach of the terms and conditions of the tender and will result in forfeiture of the Bid Security. The successful bidder shall pay the expenses of completing and stamp duty on the agreement. The forfeiture of the Bid Security or failure to execute the agreement and to submit performance security within the specified period shall also result in cancellation of LOA. Such tenderers may be debarred from tendering in RIDCOR for 1 year.

21. Security Deposit @ 5% of work amount shall be deducted from each running bill on prorata basis, which shall be released after successful completion of defect liability period of 3 years.
22. The bidders are advised to visit the Project Roads before quoting their rates for the work and fully satisfy themselves regarding the Condition of Site, availability of material, labour and availability of Water, Electricity and other resources required for the execution of work. No additional payment shall be paid to the contractor beyond work order rates. Any claim beyond accepted approved rates shall not be permissible.
23. Bids shall be valid for a period of 120 days from the date of opening of technical bid.
24. RIDCOR has invited online bids for the following various road stretches of Mega Highways Project roads:

Package	Name of Road Stretch	Package ID	Length (Km)
Package-1	Phalodi-Pachpadra	PR-1	154
	Pachpadra-Ramji Ki Gol	PR-2	138
	Hanumangarh-Ratangarh	HK-1	200
	Ratangarh-Kishangarh	HK-2	207
	Hanumangarh-Sangaria	HS	22
	Arjunsar-Pallu	AP	36
Package-2	Alwar-Sikandra	AS	81
	Lalsot-Kota	LJ-1	195
	Baran-Jhalawar	LJ-2	78
	Alwar-Bhiwadi (4-lane)	AB	85
	Khushkhera-Kasola Chowk	KK	8.5
	Jhalawar-Jhalawar Road	JJ	31
Package-3	Jhalawar-Ujjain (upto State Border)	JU	30
	Mathura (U.P. Border)-Bharatpur	MB	23.75
	Gangapur-Bhadoti	GB	42
	Nohar-Bhadra	RNB	45

RIDCOR will not award the work for both the packages i.e. Package-1 and Package-2 to same agency. In case, any bidder is lowest in both Package-1 and Package-2 then the work of one package will be awarded to next lower bidder (L2) after his consent to execute the works on rates of lowest bidder (L1). In case L2 bidder does not agree at L1 rates then the offer will be given to L3 to agree at L1 rates and the work will be awarded to L3 after his consent. Similarly, the offer may be taken from L4, L5 bidders etc. If no bidder agrees then the work may be awarded by Director/Manager, RIDCOR at its sole discretion, to any agency on L1 rates after evaluating the eligibility for work and deposition of necessary performance security. In case the bidder is successful for Package-1 and Package-2, then the allotment of Package shall be decided by RIDCOR which is financially most advantageous/favourable to RIDCOR and the bidder has to agree to it.

25. In the event of disagreement between RIDCOR and the approved Contractor the matter will be referred to the Director/Manager-RIDCOR, whose decision shall be final.
26. In case of any discrepancy whatsoever, the decision of the Director/Manager, RIDCOR shall be final. All the matters/disputes shall be resolved through conciliation. In case the issue is not resolved then arbitration shall be the next step. The contractor shall not file any case in any court before the final arbitration award/conciliation order is passed.
27. Any grievance related to tender may be resolved as per procedure adopted in Annexure-4. All legal proceedings, if any, arising out of this tender shall have to be filed within the specified timelines in courts with jurisdiction in Jaipur city only, in case the matter is not resolved by procedure mentioned at Annexure-4.
28. All taxes including GST are inclusive in the rates.
29. Project Manager will be administrator of this contract agreement. Work shall be executed under the supervision of RIDCOR representatives/Supervision Consultant and payment shall be released based on the certification by the Project Manager/Engineer.
30. Director/Manager, RIDCOR is empowered to approve all the time extensions, variations in the contract, waiving off penalty and approval of change of scope as per site requirement on the merits of the case. They are also empowered /authorized to award the work on any other stretch also in RIDCOR/RIPL on the same terms & conditions to any Agency.
31. All RIDCOR, RIPL roads are State Highways and works are to be executed strictly as per specifications. The inspection by Independent Engineer will be done regularly and necessary compliances are to be done by the contractor.
32. Contractors debarred or black listed by any department of Rajasthan State Govt. or any other States/Union Territories are not eligible to bid.
33. Contractors, who have left incomplete any work awarded to them by RIDCOR/ RIPL, are also not eligible to bid.

**Director  
RIDCOR, Jaipur**

## CERTIFICATE

I/We have carefully read, understood and accepted all the above terms & conditions. No additional conditions will be imposed by us. No conditions of the tender have been altered/changed.

Date:

Signature of the Tenderer (S)  
along with the stamp of the firm/company.  
Also address of the Local office with phone/Fax numbers



## TENDER FORM

**Subject: Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**

1. Name and full postal address of the firm submitting the tender:

.....  
.....

Contactor's Name: ..... Designation of the person signing the contract. ....

Tel. No. .... Fax ..... E-Mail .....

Mobile No. ....

PAN No. of firm..... GST Reg. No. ....

2. Reference of the Tender Notice: - .....

3. Address to: - Director, RIDCOR

4. Last Date for submitting tender online through [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in):  
\_\_\_\_\_.2024 (6:00 P.M.)

5. We agree to abide by all the terms and conditions mentioned in the above referred tender notice, issued by RIDCOR, and also the terms and conditions of the said Tender document (for Technical and Financial Part) given in the attached sheets, all pages of which are signed by us in token of acceptance of the Terms and Conditions mentioned therein.

6. All the information required for Technical part as per the tender document with regard to eligibility, are also attached herewith. We are neither debarred from any department nor convicted by any regulatory agency in any criminal case.

7. The financial bids of only those bidders will be opened who are found responsive and technically eligible in evaluation of technical bids.

**The Financial part of the tender is to be submitted online in the BOQ specified on [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in), which shall be opened after evaluation of technical bid that shall be opened on \_\_\_\_\_. Date of opening of financial bid shall be notified at [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in)**

Date:

**Signature of the Tenderer(s)  
along with the stamp of the firm/company**

# CONTENTS

<b>Section – 1</b>	<b>: Instructions to Bidders .....</b>	<b>12</b>
<b>Section – 2</b>	<b>: Qualification Information and Other Forms .....</b>	<b>29</b>
<b>Section – 3</b>	<b>: General Conditions of the Contract (Part-I) .....</b>	<b>44</b>
	<b>Special Conditions of the Contract (Part-II) .....</b>	<b>65</b>
<b>Section-4</b>	<b>: Contract Data .....</b>	<b>74</b>
<b>Section-5</b>	<b>: General Technical Specifications (Part-I).....</b>	<b>79</b>
	<b>Supplementary Technical Specifications (Part-II) .....</b>	<b>79</b>
<b>Section-6</b>	<b>: Securities and Other Forms.....</b>	<b>96</b>
<b>Section-7</b>	<b>: Bill of Quantities .....</b>	<b>107</b>

**SECTION 1:**

**INSTRUCTIONS TO BIDDERS**  
**(ITB)**

# SECTION 1: INSTRUCTIONS TO BIDDERS

## CONTENTS

		Page No			Page No
<b>A</b>	<b>General</b>		<b>D</b>	<b>Bid Opening and Evaluation</b>	
1	Scope of Works	13	17	Opening and Evaluation of Bids	21
2	Eligible Bidders	14	18	Process to be Confidential	21
3	Qualification of the Bidder	14	19	Clarification of Bids	21
4	One Bid per Bidder	16	20	Examination of Bids and Determination of Responsiveness	21
5	Cost of Bidding	16	21	Correction of Errors	22
6	Site Visit	16	22	Evaluation and Comparison of Bids	22
<b>B</b>	<b>Bid Document</b>		<b>E</b>	<b>Award of Contract</b>	
7	Content of Bid Document	17	23	Award Criteria	24
8	Clarification on Bid Document	17	24	Employer's Right to Accept any Bid and to Reject any or all Bids	24
9	Amendment of Bid Document	17	25	Notification of Award and Signing of Agreement	25
			26	Performance Security	25
<b>C</b>	<b>Preparation of Bids</b>		27	Advance Payment	26
10	Language of the Bid	18	28	Corrupt or Fraudulent Practice	26
11	Documents to be submitted along with Bid	18		<b>Annexure-1A</b>	27
12	Bid Prices	19		<b>Annexure-1B</b>	28
13	Currencies of Bid and Payment	19			
14	Bid Validity	19			
15	Bid Security	20			
16	Alternative Proposals by Bidders	20			

## A : GENERAL

### 1. Scope of Works

- 1.1 The RIDCOR, (hereinafter be referred to as the “**Employer**”) proposes to execute the Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2) hereinafter referred to as the “**Works**”.

The Work detailed herein is a percentage Rate Contract where the rates and quantities of various items have been mentioned in BOQ (Section-7). The bidder has to quote %above/below the total amount of the BOQ.

The indicative scope of work to be carried out by the successful Bidder, inter alia, includes the following but is not limited to:

(a) The Works:

- (i) Road markings with retro-reflective thermoplastic paint
- (i) Provision of retro reflective road signs
- (ii) Provision of road studs.
- (iii) Provision of rumble strip
- (iv) Metallic Beam Crash Barriers Parts & complete item.
- (v) Any activity as per BOQ mentioned hereinbelow and other incidental to the above activities.

(b) Defect Liability:

Subsequent to completion of the Works, Contractor shall be responsible for any defect arising in the executed work for a period of 36 Months from the Works Completion Date as specified in the Contract Data.

The successful Bidder shall have full regard and be responsible for the safety of the Works/road users and all Project Site operations and for all methods of design for temporary structures and the Facility, irrespective of any approval or consent by the Employer and cost for the same is deemed to be included in the Bid Price, as incidental to work. The Agency will be legally liable for safety of road users in this stretch & will take all precautionary measures proactively.

The successful Bidder shall take full responsibility for operation and maintenance of the existing road and facilities thereto and for Traffic Management, in accordance with Clause–A2 of Supplementary Technical Specifications of Section 5 (Specifications) and IRC-SP-55, 2014 (guide lines for Traffic management in works zones) from the Start Date to the date of completion. The cost of Barricading, traffic management, markings and signs, look-out persons, and other similar works needed during implementation of Works are deemed to be included by the Bidder in the Bid Price, as incidental to work.

- 1.2 The Employer is now inviting bids for Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2) as defined in the Contract Data and referred to as “Works”.

- 1.3 The successful Bidder will be expected to complete the Works within the time period as specified in the Contract Data and thereafter responsible for the defects for a period of 36 months.

## **2. Eligible Bidders**

- 2.1 All the bidders are required to produce a certificate that they have successfully completed similar work/signages/road furniture on highway projects in last 3 years amounting to Rs. 4.13 Cr. (minimum). For avoidance of doubt, it is clarified that the Agency may have various work orders for similar work/signages/road furniture on highway projects and their sum total of completion cost should be more than Rs. 4.13 Cr
- 2.2 The firm should have annual turnover of minimum Rs. 4.13 Cr. during any one of last 3 financial years (2020-21, 2021-22 & 2022-23) and the certificate for the same from CA on its firm's letterhead with UDIN be submitted by the bidder without which tender shall not be considered.
- 2.3 Bidders should not have abandoned any of their contracts for, and should not be under a declaration of ineligibility or blacklisted for corrupt, fraudulent and coercive practices or poor quality/ delayed implementation of any work by the Government of India (GoI), Government of Rajasthan (GoR), other State Governments, RIDCOR/Developer and/or Statutory Authorities like National Highways Authority of India.
- 2.4 The bidder shall be original manufacture of the Retro Reflective sheeting and Road furniture or specifically certifies Authorized Convertor/Applicator by the Original Manufacture and shall submit such Authorization certificate during the bid submission. The Tenderer must obtain & must produce such authorization on the name of the work from the Manufacture. Ministry/IRC Reference- MoRTH Section 800, Page no. 333-334. Warranty and Durability. The bidder/supplier has to be the authorized convertor of sheeting manufacturer.

## **3. Qualification of the Bidder:**

- 3.1 Bidders should submit, with their Bids, qualification information regarding the similar Works completed by them as defined in clause 2.1 & 2.2.
- 3.2 All Bidders shall also include the following information and documents with their Bids in the formats prescribed, wherever applicable, in this Bidding Document:
- (a) the certificate from concessionaire / contractor / SPV/ Govt. Agency etc. that they have successfully completed the works defined in clause 2.1;
  - (b) the certificate from CA that they have turnover of minimum Rs. 4.13 Cr. during any one of last 3 financial years;
  - (c) written Power of Attorney authorizing the signatory of the Bid;
  - (d) deleted;
  - (e) deleted;
  - (f) an undertaking confirming the validity of above information;
  - (g) the bidder shall obtain from the sheeting manufacturer of Retro Reflective Sheeting a Pre-Qualification Warranty certificate in original for seven years/ten years for Type IV/Type XI sheeting respectively and submit the same during Bid

Submission. Ministry/IRC Reference- MoRTH Section 800, Page no. 333-334. Warranty and Durability & IRC-67 no 19. Warranty and Durability;

Product Conformance Certificate in original from the manufacturer of retro reflective sheeting stating that the material & test certificates offered for the tender, conforms to the above stated IRC and MoRTH requirement in this tender and manufacturer takes all responsibility for the same. Failure of providing required certificates or providing false details shall lead to black listing of bidder/manufacturer

3.3 Joint Venture (JV) is not allowed.

3.4 Deleted

3.5 Even though the Bidders meet the criteria set out above, they are subject to be declared non-responsive if they have:

- (a) made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or
- (b) record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.; and/or
- (c) have been debarred/black listed by any Statutory Agency/Authority during the intervening period between qualification and award of Works; and/or
- (d) participated in bidding for any work and has quoted unreasonably high/low bid prices and could not furnish rational justification to the Employer.

#### **4. One Bid per Bidder**

4.1 Each Bidder shall submit only one Bid for one Lot. Each bidder may participate in all the Lots but the works shall be awarded to successful bidder as stipulated in Clause 24 of the Terms & Conditions of the Tender.

#### **5. Cost of Bidding**

5.1 The Bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer will in no case be responsible and liable for those costs.

#### **6. Site visit**

6.1 The Bidder, at the Bidder's own responsibility and risk is encouraged to visit and examine the site and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for the Works. The costs of visiting the site shall be at the Bidder's own expense and no claim shall be entertained in this regard. Any information about the site can be obtained from our Project Manager/Head Office, Jaipur.

## B : BID DOCUMENT

### 7. Content of Bid Document

- 7.1 The set of Bid Document consist of documents listed in the Table below and amendment/addenda issued in accordance with Clause 9 of this Section-1.

Invitation for Bid	
Section 1	Instructions to Bidders
Section 2	Qualification Information and Other Forms
Section 3	Part-I : General Conditions of Contract Part-II : Special Conditions of Contract
Section 4	Contract Data
Section 5	Specifications Part – I : General Technical Specifications Part – II : Supplementary Technical Specifications
Section 6	Securities and Other Forms
Section 7	Bill of Quantities (BOQ)

- 7.2 The Bid Document can be downloaded from the GoR web portal 'www.eproc.rajasthan.gov.in'. Documents to be furnished by the Bidder should be in the formats prescribed in the Bid Document and addendum issued pursuant to Clause 9 of Section-1.

### 8. Clarification on Bid Document

- 8.1 A Bidder requiring any clarification of the Bid Document may request the Employer at least 7 days before the last date for receipt of Bids in writing through post, fax or e-mail at the Employer's address indicated as below:

701-706, 7th Floor, ARG Corporate Park, Gopalbari, Ajmer Road, Jaipur-302001  
Tel. No.: +91-141-2747001, Fax: +91-141-2747010, Email: office@ridcor.in

The Employer will respond to request for clarification to the respective e-mail address of the bidder.

- 8.2 Any modification of the Bid Document listed in Clause 7.1 which may become necessary as a result of the clarification given to Bidders shall be made known by the Employer exclusively through the issue of an Addendum pursuant to Clause 9.

### 9. Amendment of Bid Document

- 9.1 Before the deadline for submission of bids, the Employer may modify the Bid Document by issuing addenda on GoR web portal 'www.eproc.rajasthan.gov.in'.
- 9.2 Any addendum if issued by the Director/Manager/Authorized Representative shall be part of the Bid Document. All such addenda shall become an integral part of the Bidding Document and it shall be incorporated in Bid prices and duly signed, stamped and submitted along with the Bid documents on GoR web portal 'www.eproc.rajasthan.gov.in'. Bid shall be deemed to be incomplete if the addendum (addenda) is (are) not enclosed duly signed by the Bidder along with the Bid documents.



## C : PREPARATION OF BIDS

### 10. Language of the Bid

10.1 All documents relating to the Bid shall be in the English language.

### 11. Documents to be submitted along with Bid

11.1 The Bidders should furnish the bid document duly signed by the authorized signatory. The certificate from a reputed Chartered Accountant firm along with UDIN number certifying the turnover of the Bidder shall be provided by the Bidder.

11.2 The Bidder shall attach copies of the certified/audited annual balance sheet / financial statement for financial year on the basis of which it is meeting eligibility criteria. The financial statement shall reflect the financial condition of the Bidder, which should be duly audited/ certified by Chartered Accountant. Following documents should be furnished along with the BID:

- Copy of PAN Card and GST Registration Certificate of the firm.
- Power of attorney favouring authorized representative/ signatory
- In case of a company, copy of the certification of incorporation and certificate of commencement of business (if applicable)
- Affidavit from the Bidder that the Bidder is not involved in any litigation with the RIDCOR.
- An undertaking shall be produced that No dispute is pending between any Authority/NHAI/ Government (state/union)/Govt. undertaking and the eligible Bidder. In case, there is any pending dispute with these departments, details of the same shall be provided.
- Transaction Receipt of BID security.
- Transaction Receipt of BID processing fee and cost of bid document

11.3 The Bidder shall submit the Bid on-line through e-portal 'www.eproc.rajasthan.gov.in' which shall comprise scanned copies of following documents by the stipulated date and time:

#### Cover-1

#### Envelope/Folder 'A' – 'Technical Proposal' shall contain:

- a) Bidder information along with required supporting documents;
- b) Receipt of transaction details of Bid Security / Bank Guarantee;
- c) Irrevocable Power of Attorney for signing the Bid;
- d) Copies of Bidder's duly audited/ certified balance sheet/ financial statements for the year for which it is seeking eligibility;
- e) Bid Document Fee and E-Tendering Processing Fee through NEFT/RTGS/IMPS in the designated account of RIDCOR.
- f) The Bidder shall deposit a Bid Security through RTGS/NEFT/IMPS in the designated account of RIDCOR in accordance with the provisions of this Bid Document. The bidder may submit bid security in the form of Bank Guarantee also, one day before bid opening date.
- g) Compliances as per Annexures 2, 3 & 4 of Section-2

Before submission of online financial Bid, Bidders must ensure that scanned copies of all the necessary documents have been uploaded with the Bid.

Bid document along with related documents can be downloaded from the website <https://eproc.rajasthan.gov.in>. The document downloaded from the website shall not be tempered. If any tempering is detected before signing of the agreement, the Bid security of the Bidder shall be forfeited and the Bidder shall be debarred for a period of one year for Bidding in the RIDCOR, RIPL.

## **Cover-2**

Envelope/Folder 'B' – 'Financial Proposal'

The bidder shall quote its financial proposal in Cover-2 (Envelope-B) on the E-Tender portal.

## **12. Bid Prices**

- 12.1 The Contract shall be for the Works as described in Contract Data, based on the quote submitted by the Bidder in Financial Proposal through online mode.
- 12.2 The Bidder shall fill in percentage rate above or below the total amount of the Works described in the Bill of Quantities at Section-7. Any incidental item shall be deemed to be covered by the other rates and prices in the Bill of Quantities.
- 12.3 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause shall be included in the rates, prices and total Bid Price submitted by the Bidder. Price variation on bitumen only is payable as per terms of contract.
- 12.4 The Contract Price shall not be subject to any adjustment in price in respect of rise or fall in the cost of labour, materials or any other matters affecting the cost of execution of the Contract.

## **13. Currencies of Bid and Payment**

- 13.1 The unit rates and the prices of the BOQ are entirely in Indian Rupees, and payment shall be made in Indian Rupees.

## **14. Bid Validity**

- 14.1 Bids shall remain valid for a period not less than one hundred and twenty (120) days after the deadline date for Bid submission. **A bid valid for a shorter period shall be rejected by the Employer as non-responsive.**
- 14.2 In exceptional circumstances, prior to expiry of the original time limit, the Employer may request the Bidders to extend the period of validity of their bid for a specified additional period. The request and the Bidders' responses shall be made in writing or by email. A Bidder may refuse the request without forfeiting his Bid security. A Bidder agreeing to the request will not be required or permitted to modify his Bid but will be required to extend the validity of his Bid security also for a period of the extension, and in compliance with Clause 15 in all respects.

## **15. Bid Security**

15.1 The Bidder shall furnish, as part of his Bid, a Bid Security for an amount of Rs. 8,26,000/- through NEFT/RTGS/IMPS/Bank Guarantee in the designated account of RIDCOR. This Bid Security Bank Guarantee shall be in favour of "RIDCOR Ltd." and may be in one of the following forms:

- A Bank Guarantee, in the prescribed format is acceptable from the following institutions located in India:
  - (a) State Bank of India or its subsidiaries;
  - (b) Any Indian Nationalized /Scheduled Bank;
  - (c) IDBI Bank or Axis Bank or ICICI Bank or HDFC Bank or Yes Bank or AU Small Finance Bank or IDFC First Bank; or
  - (d) Foreign Bank with operations in India provided the net worth in respect of the Indian operations shall not be less than Rs 500 crores as per the latest Annual Report of the Bank and that Bank Guarantee is issued by a branch in India.
- The bid security in the form of Bank Guarantee shall be submitted by the bidder at least one day before the date of opening of the tenders at RIDCOR Head Office, Jaipur.

15.2 Bank guarantees issued as surety for the Bid should be valid for 45 days beyond the validity of the Bid.

15.3 Any Bid not accompanied by an acceptable Bid Security and not secured as indicated in Sub Clauses 15.1 and 15.2 shall be rejected by the Employer as non-responsive.

15.4 Bid security of the bidders except L1 & L2 shall be released immediately upon receipt of request by the bidder in original or through Email. Bid security of the L2 bidder shall be released after execution of contract agreement by the L1 bidder or 30 days of issuance of Letter of Acceptance (LOA) to L1 bidder or bid validity period whichever is earlier.

Bid security of the L1 bidder shall be released after submission of Performance Security and execution of contract agreement by the L1 bidder. The bid security of L1 bidder available in cash may be adjusted against performance security on request of L1 bidder.

15.5 The Bid Security of the successful Bidder will be discharged when the Bidder has furnished the required Performance Security and signed the Agreement.

15.6 The Bid Security may be forfeited

- (a) if the Bidder withdraws the Bid after Bid opening during the period of Bid validity;
- (b) if the Bidder does not accept the correction of the Bid Price, pursuant to Clause 21 of ITB;
- (c) in case of a successful Bidder, if the Bidder fails within the specified time limit to
  - (i) furnish the required Performance Security, and/or
  - (ii) sign the Contract Agreement.

## **16. Alternative Proposals by Bidders**

16.1 Conditional offers or alternative proposals will not be considered.

## **D: BID OPENING AND EVALUATION**

### **17. Opening and Evaluation of Bids:**

- 17.1 Opening and evaluation of Bids will be done for the bids only through online process. The Employer shall open online bids received as per schedule mentioned hereinabove on the Bid Due Date. The Employer will examine and evaluate the online Bids in accordance with the provisions set out in this Bid Document.
- 17.2 To facilitate evaluation of Bids, the Employer may, at its sole discretion, seek clarifications in writing from any Bidder regarding its Bid. The bid evaluation committee may ask for the pending documents for technical qualification in order to have more competitive bids in a prescribed time frame and such documents have to be submitted by the bidder through online mode.
- 17.3 Correction of Errors; Bids determined to be substantially responsive will be checked and considered by the Employer for any discrepancy as follows:

**“Where there is any discrepancy between the amounts in figures and in words, the amount in figures entered in the BOQ (online) shall prevail.”**

### **18. Process to be Confidential**

- 18.1 Information relating to the examination, clarification, evaluation, and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process until the award to the successful Bidder has been announced.

### **19. Clarification of Bids**

- 19.1 To assist in the examination, evaluation, and comparison of Bids, the Employer may, at his discretion, ask any Bidder for clarification of his Bid, including breakdowns of all the bid rates. The request for clarification and the response shall be in writing or by email, but no change in the price or substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Bids in accordance with Clause 21. In case any Bidder refuses to furnish any clarification sought by the Employer, which may affect his Bid Price, then his bid shall be liable to be treated as non-responsive.
- 19.2 Subject to Sub Clause 19.1, no Bidder shall contact the Employer/its representatives on any matter relating to the Bid from the time of the bid opening to the time the contract is awarded.
- 19.3 Any effort by the Bidder to influence the Employer in the Employer's bid evaluation, bid comparison or contract award decisions may result in the rejection of the Bidder's Bid.

### **20. Examination of Bids and Determination of Responsiveness**

- 20.1 During the detailed evaluation of Bids, the Employer will determine whether each Bid
- (a) meets the eligibility criteria defined in Clauses 2 and 3 of ITB;
  - (b) has been properly signed;
  - (c) is accompanied by the required securities; and
  - (d) is substantially responsive to the requirements of the Bid Document.

- 20.2 A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bid Document, without material deviation or reservation. A material deviation or reservation is one
- (a) which affects in any substantial way the scope, quality, or performance of the Works;
  - (b) which limits in any substantial way, inconsistent with the Bid Document, the Employer's rights or the Bidder's obligations under the Contract; or
  - (c) whose rectification would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.
- 20.3 If a Bid is not substantially responsive, it will be rejected by the Employer and shall not subsequently be made responsive by correction or withdrawal of the non-conforming deviation or reservation.

## **21. Correction of Errors**

- 21.1 Bids determined to be substantially responsive will be checked by the Employer/Authorized Representative for any arithmetic errors. Errors will be corrected by the Employer/Authorized Representative as follows:
- (a) where there is a discrepancy between the rates in figures and in words, the rate in figures will govern; and
  - (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
  - (c) in case different rates are furnished in different sections of the Bill of Quantities for the same item, then the lowest rate for the item shall prevail for all the places where the item is appearing.
- 21.2 The amount stated in the Bid will be corrected by the Employer/Authorized Representative in accordance with the above procedure for the Correction of Errors and, with the concurrence of the Bidder. Such adjusted Bid Price shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, the Bid will be rejected and the Bid Security may be forfeited in accordance with Sub Clause 15.6 (b) of ITB.

## **22. Evaluation and Comparison of Bids**

- 22.1 The Employer/Authorized Representative will evaluate and compare only the Bids determined to be substantially responsive in accordance with Clause 20 of ITB. For avoidance of doubt, the Employer shall compare the Bid and the lowest bidder shall be considered for evaluation. However, preference shall be given to the lowest cost to the Employer.
- 22.2 In evaluating the Bids, the Employer/Authorized Representative will determine for each Bid the evaluated Bid Price by adjusting the Bid Price as follows:
- (a) making any correction for errors pursuant to Clause 21 of ITB; or
  - (b) making an appropriate adjustment for any other acceptable variations, deviations; and
  - (c) making appropriate adjustments to reflect discounts or other price modifications offered by the Bidder.

- 22.3 The Employer reserves the right to accept or reject any variation, deviation, or alternative offer. Variations, deviations, and alternative offers and other factors which are in excess of the requirements of the Bid Document or otherwise result in unsolicited benefits for the Employer shall not be taken into account in Bid evaluation.
- 22.4 Deleted.
- 22.5 If the Bid of the successful Bidder is unbalanced in relation to the Employer's estimate of the cost of work to be performed under the Contract, the Employer may require the Bidder to produce detailed rate analysis, to demonstrate the internal consistency of the bid price with the work methods and schedule proposed. After evaluation of the rate analysis, the Employer may require that the amount of the performance security set forth in Clause 26 of ITB be increased at the expense of the successful Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.

## E : AWARD OF CONTRACT

### 23. Award Criteria

- 23.1 Subject to Clause 24 of ITB, the Employer will award the Contract to the Bidder whose Bid has been determined to be substantially responsive to the Bid Document and who has offered the lowest evaluated Bid Price, provided that such Bidder has been determined to be (a) eligible in accordance with the provisions of Clause 2 of ITB, and (b) qualified in accordance with the provisions of Clause 3 of ITB.
- 23.2 RIDCOR has invited online bids for the following various road stretches of Mega Highways Project roads:

Package	Name of Road Stretch	Package ID	Length (Km)
Package-1	Phalodi-Pachpadra	PR-1	154
	Pachpadra-Ramji Ki Gol	PR-2	138
	Hanumangarh-Ratangarh	HK-1	200
	Ratangarh-Kishangarh	HK-2	207
	Hanumangarh-Sangaria	HS	22
	Arjunsar-Pallu	AP	36
Package-2	Alwar-Sikandra	AS	81
	Lalsot-Kota	LJ-1	195
	Baran-Jhalawar	LJ-2	78
	Alwar-Bhiwadi (4-lane)	AB	85
	Khushkhera-Kasola Chowk	KK	8.5
	Jhalawar-Jhalawar Road	JJ	31
	Jhalawar-Ujjain (upto State Border)	JU	30
Package-3	Mathura (U.P. Border)-Bharatpur	MB	23.75
	Gangapur-Bhadoti	GB	42
	Nohar-Bhadra	RNB	45

RIDCOR will not award the work for both the packages i.e. Package-1 and Package-2 to same agency. In case, any bidder is lowest in both Package-1 and Package-2 then the work of one package will be awarded to next lower bidder (L2) after his consent to execute the works on rates of lowest bidder (L1). In case L2 bidder does not agree at L1 rates then the offer will be given to L3 to agree at L1 rates and the work will be awarded to L3 after his consent. Similarly, the offer may be taken from L4, L5 bidders etc. If no bidder agrees then the work may be awarded by Director/Manager, RIDCOR at its sole discretion, to any agency on L1 rates after evaluating the eligibility for work and deposition of necessary performance security. In case the bidder is successful for Package-1 and Package-2, then the allotment of Package shall be decided by RIDCOR which is financially most advantageous/favorable to RIDCOR and the bidder has to agree to it.

### 24. Employer's Right to accept any Bid and to reject any or all Bids

- 24.1 Notwithstanding Clause 23, the Employer reserves the right to accept or reject any Bid, and to cancel the Bidding process and reject all Bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer's action.

## **25. Notification of Award and Signing of Agreement**

- 25.1 The Bidder whose Bid has been accepted will be notified of the award by the Employer prior to expiration of the Bid validity period by email or facsimile or confirmed by registered letter. This letter (hereinafter and in the Conditions of Contract called the "Letter of Acceptance") (Form 6B of Section 6) will state the contract amount that the Employer will pay the Contractor in consideration of the execution and completion of the Works by the Contractor as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").
- 25.2 The notification of award through the Letter of Acceptance will signify the intention of the Employer to enter into a contract, subject to the furnishing of a Performance Security by the Bidder in accordance with the provisions of Clause 26.
- 25.3 The Agreement (Form 6E of Section 6) will incorporate all clarifications sought and submitted, and all agreements between the Employer and the successful Bidder. It will be signed by the Employer and kept ready in his office for signatures of the successful Bidder within 28 days following the issue of the Letter of Acceptance.
- 25.4 Upon furnishing of the Performance Security by the successful Bidder, the Employer will promptly notify the other Bidders that their Bids have been unsuccessful and refund their bid security.

## **26. Performance Security**

- 26.1 Within 14 days of receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer a Performance Security in the form of an unconditional Bank Guarantee for an amount equivalent to 5% of the Contract Price for the Works, in accordance with Clause 22.4 of ITB of Section-1 and Clause 45 of GCC of Section 3. The Bank Guarantee, in the prescribed format (Form 6C of Section 6), is acceptable from the following institutions located in India:
- (a) State Bank of India or its subsidiaries;
  - (b) Any Indian Nationalized /Scheduled Bank;
  - (c) IDBI Bank or Axis Bank or ICICI Bank or HDFC Bank or Yes Bank or AU Small Finance Bank or IDFC First Bank; or
  - (d) Foreign Bank with operations in India provided the net worth in respect of the Indian operations shall not be less than Rs 500 crores as per the latest Annual Report of the Bank and that Bank Guarantee

If, performance security is not submitted within the prescribed time then penalty of Rs. 5,000 per day shall be levied on the successful tenderer upto 30 days (penalty period) beyond specified time of 14 days. If the performance security is not submitted within 60 days beyond specified time, Director/Manager, RIDCOR reserves the right to accept the performance security in case of further delay with penalty of Rs 10,000 per day beyond 30 days thereafter.

- 26.2 Failure of the successful Bidder to comply with the requirements of Sub Clause 26.1 shall constitute sufficient grounds for cancellation, cause for annulment of the award, forfeiture of the Bid Security and any such other remedy the Employer may take under the Contract, and the Employer may resort to awarding the Contract to any other evaluated Bidder.



**27. Advance Payment - Deleted**

**28. Corrupt or Fraudulent Practices**

28.1 The Employer requires that the Bidders/Contractors, observe the highest standard of ethics during the procurement and execution of the Contracts. In pursuance of this policy, the Employer:

- (a) defines, for the purposes of this provision, the terms set forth below:
  - (i) “corrupt practice” means the offering, giving, receiving or soliciting of anything of value to influence the action of Employer/its representatives in the procurement process or in contract execution;
  - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish Bid Prices at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition;
  - (iii) “coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of the Contract.
- (b) will reject a proposal for award if the Employer determines that the Bidder recommended for award has engaged in corrupt, fraudulent or coercive practices in competing for the contract in question;
- (c) will declare a firm ineligible, either indefinitely or for a stated period of time, if the Employer at any time determines that the firm has engaged in corrupt, fraudulent or coercive practices in competing for, or in executing, contracts.

## **SECTION 2:**

### **Annexures – A, B, C and D**

**Annual Turnover of the Bidder\***

(to be certified by the Chartered Accountant with UDIN)

Particulars	Turnover in last 3 FYs		
	2020-21	2021-22	2022-23

**NOTE: \*Whether a Company, Partnership firm, Proprietary firm, Individual**

: In case of Partnership firm/Propriety firm, the Turnover of the firm and not of the individual partners shall be considered.

**Date:** \_\_\_\_\_ **(Signature, name and designation of the Authorized signatory)**  
**Place:** \_\_\_\_\_ **Name and seal of Bidder**

## **Compliance with the Code of Integrity and No Conflict of Interest**

### **Any person participating in a procurement process shall:**

- (a) not offer any bribe, reward of gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process.
- (b) not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- (c) not indulge in any collusion, Bid rigging or anti-competitive behaviour to impair the transparency, fairness and process of the procurement process.
- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process.
- (e) not indulge in any coercion including impairing or harming or threatening to do the same , directly or indirectly, to any party or its property to influence the procurement process.
- (f) not obstruct any investigation or audit of a procurement process.
- (g) disclose conflict of interest, if any ; and
- (h) disclose any pervious transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

### **Conflict of Interest:**

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

**A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited:**

- have controlling partners/shareholders in common; or
- receive or have received any direct or indirect subsidy from any of them;
- have the same legal representative for purposes of the Bid; or
- have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- the Bidder participates in more than one bid in a bidding process. Participation by a Bidder in more than one bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as Bidder, in more than one Bid; or
- the Bidder or any of its affiliates participated as consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/consultant for the contract.

**Signature of Bidder**

## Declaration by the Bidder regarding Qualifications

### Declaration by the Bidder

In relation to my/our Bid submitted to the Company for “Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2) in Rajasthan” in response to their Notice Inviting Bids No..... Dated ..... I/we hereby declare, that:

1. I/we possess the necessary professional, technical, financial and managerial resource and competence required by the Bidding Document issued by the Procuring Entity;
2. I/we/ have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we are not debarred from any department or any regulatory agency.
5. I/we do not have, and our Directors and Officers not have, been convicted of any criminal offence related to my/our professional conduct or the marking of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
6. I/we do not have a conflict to interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:  
Place:

Signature of Bidder  
Name:  
Designation: Address:

## Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is Manager, RIDCOR Ltd., Rajasthan, Jaipur

The designation and address of the Second Appellate Authority is Director, RIDCOR Ltd., Rajasthan, Jaipur

### **Filing an appeal:**

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.
- (2) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(3) **Appeal not to lie in certain cases**

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

(4) **Form of Appeal**

- (a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or by authorized representative.

(5) **Fee for filing appeal**

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of Bank demand draft or Banker's Cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(6) **Procedure for disposal of appeal**

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.



- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be shall,- (i) hear all the parties to appeal present before him; and (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies there of relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.

**Signature of Bidder**

## SECTION 3:

<b>Part No</b>	<b>Description</b>	<b>Page no</b>
<b>Part I</b>	<b>General conditions of contract (GCC)</b>	<b>44</b>
<b>Part II</b>	<b>Special Conditions of Contract (SCC)</b>	<b>65</b>

## SECTION : 3

### PART – I : GENERAL CONDITIONS OF CONTRACT (GCC)

#### Table of Contents

		Page No.			Page No.
<b>A</b>	<b>General</b>		<b>C</b>	<b>Quality Control</b>	
1	Definitions	46	30	Identifying Defects	55
2	Interpretation	48	31	Tests	55
3	Language and Law	48	32	Correction of Defects	55
4	Site Office for Engineer	48	33	Uncorrected Defects	55
5	Field Laboratory	48	<b>D</b>	<b>Cost Control</b>	
6	Communication	48	34	Bill of Quantities	56
7	Procurement of Bitumen	48	35	Changes in the Quantities	56
8	Other Contractors	49	36	Variations	56
9	Personnel	49	37	Payments for Variations	56
10	Employer's & Contractor's Risks	49	38	Cash Flow Forecasts	57
11	Employer's Risks	49	39	Payment Certificates	57
12	Contractor's Risks	49	40	Tax	58
13	Insurance	49	41	Currencies	58
14	Contractor to Construct the Works and Works to be Completed by Contract Completion Date	50	42	Change in Legislation	59
15	Safety, Security and Protection of the Environment	50	43	Liquidated Damages and Penalty	60
16	Working Drawings	51	44	Advance Payment	60
17	Approval by the Employer	51	45	Securities	60
18	Safety of Traffic	51	46	Cost of Maintenance	61
19	Discoveries	51	47	Security Deposit	61

20	Possession of the Site	51	<b>E</b>	<b>Finishing the Contract</b>	
21	Access to the Site	52	48	Completion	62
22	Instructions	52	49	Final Account	62
23	Disputes	52	50	Termination	62
24	Procedure for Disputes – Arbitration	52	51	Payment upon Termination	63
<b>B</b>	<b>Time Control</b>		52	Property	64
25	Program	53	53	Release from Performance	64
26	Extension of the Works Completion Date	53	54	Details to be Confidential	64
27	Delays Ordered by the Employer	53	55	Life-saving Appliances and First-aid Equipment	64
28	Management Meetings	53			
29	Early Warning	54			

**PART – I**  
**GENERAL CONDITIONS OF CONTRACT (GCC)**  
**A : GENERAL**

**1. Definitions**

1.1 Terms which are defined in the Contract Data but are not defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

**Authorised representative** is the person (or any other competent person appointed and notified to the Contractor to act in replacement of the Employer) who is responsible for supervising the execution of the Works and administering the Contract. Project Manager is the Authorized representative of the Employer for this contract.

**Bill of Quantities** means the priced and completed **Bill of Quantities** forming part of the Bid.

**Contract Completion Date** is the date of completion of Contractor's obligations under this Contract for the works as indicated in the Contract Data.

**Contract** is the contract signed between the Employer and the Contractor to execute, complete and maintain the Works. It consists of the documents listed in Sub Clause 2.2.

**Contract Data** defines the documents and other information which comprise the Contract, as specified in Section 4 of the Document.

**Contractor** is a person or firm, whose Bid to carry out the Works has been accepted by the Employer.

**Contractor's Bid** is the completed Bidding document submitted by the Contractor to the Employer.

**Contract Price** is the price stated in Indian Rupees in the Letter of Acceptance for the Works.

**Days** are calendar days; **months** are calendar months.

**Defect** is any part of the Works not completed in accordance with the specifications and designs of the Contract.

**Defects Liability Period** is the period specified in the Contract Data and calculated from the actual Completion Date of Works. For this particular contract, Defects Liability Period is 3 years after the Works Completion Date.

**Drawings** include designs and calculations and other information provided.

**Employer** is the party who employs the Contractor to carry out the contracted Works or its authorized representative (Director/Manager/Project Manager/Authorized Representative, RIDCOR)

**Engineer** is the person (or any other competent person appointed and notified to the Contractor to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract. Project Manager, RIDCOR/Supervision Consultant will act as the Engineer, as notified by the Employer.

**Equipment** is the Contractor's machinery and vehicles' brought, temporarily or otherwise, to the Site to construct the Works.

**Intervention Standards** is the level of the damage at which road assets need to be intervened and repaired.

**Letter of Acceptance** means the formal acceptance by the Employer or its authorized representative of the Bid.

**Materials** are all supplies, including consumables, used by the contractor for incorporation in the Works.

**Milestone** is a specified date or duration by which specified works are to be completed.

**Permanent Works** means the permanent works to be executed in accordance with the Contract.

**Plant** is any integral part of the Works which is to have a mechanical, electrical, electronic or chemical or biological function.

**Rectification Standards** is the period of time given to repair the damage to the road asset.

**Service Quality** specifies the condition of the road asset which gives a desirable level of service and comfort.

**Site** is the area defined as such in the Contract Data.

**Specification** means the latest MORTH Specifications of the Works included in the Contract and any modification or addition made or approved by the Employer/Engineer, in writing.

**Start Date** is given in the Contract Data. It is the date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.

**Subcontractor** is a person or firm or corporate body who has a contract with the Contractor to carry out a part of the work in the awarded Contract.

**Temporary Works** are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation or maintenance of the Works.

**Variation** is an instruction given by the Employer in writing which varies the Works.

**Works** means the Works as stated in the Contract Data.

**Works Completion Date** is the actual date of completion of the Works as certified by the Employer in accordance with Sub Clause 48.3.

**Working Drawings** means all Drawings, calculations, samples, patterns, models, maintenance manuals and other technical information of a like nature submitted by the Contractor and approved by the Employer, for execution of the Works.

## **2. Interpretation**

- 2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Employer will provide instructions clarifying queries about the Contract.
- 2.2 The documents forming the Contract shall be interpreted in the following order of priority:
- (1) Agreement
  - (2) Letter of Acceptance
  - (3) Contractor's Bid
  - (4) Contract Data
  - (5) General and Special Conditions of Contract
  - (6) Specifications
  - (7) Priced Bill of Quantities; and
  - (8) Any other document forming part of the Contract.

## **3. Language and Law**

- 3.1 The language of the Contract and the law governing the Contract are stated in the Contract Data.

## **4. Site office for Engineer-Deleted**

## **5. Field Laboratory-Deleted**

## **6. Communication**

- 6.1 Communication between parties of the Contract shall be effective only when it is in writing. A notice shall be effective only when it is delivered (in terms of Indian Contract Act) physically or through electronic mail.

## **7. Procurement of Bitumen**

- 7.1 Deleted.

## **8. Other Contractors**

- 8.1 The Contractor shall cooperate and share the Site with other Contractors, public authorities and the Employer and his representatives. The Contractor shall provide facilities and services for them related to the Work. The Employer may modify the Schedule of Other Contractors and shall notify the Contractor of any such modification.

## **9. Personnel-Deleted**

## **10. Employer's and Contractor's Risks**

10.1 The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

## **11. Employer's Risks**

11.1 The Employer is responsible for the excepted risks which are in so far as they directly affect the execution of the Works in the Employer's country, the risks of war, hostilities, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot, commotion or disorder (unless restricted to the Contractor's employees), and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive.

## **12. Contractor's Risks**

12.1 All risks of loss of or damage to physical property and of personal injury and death to contractor's and Project Manager's staff, Engineer's staff, equipment, material and executed work which arise during and in consequence of the performance of the Contract other than the excepted risks as at Sub Clause 11.1 are the responsibility of the Contractor.

## **13. Insurance**

13.1 The Contractor shall provide before commencement of the work, in the joint names of the Employer and the Contractor, "Contractor's All Risk" insurance cover valued at 1.15 times the value of the work order, from any of the acceptable Insurance Companies in India, valid from the Start Date to Completion Date of the Works, including extended period, in the amounts and deductibles stated in the Contract Data.

13.2 Policies and certificates for insurance, from the acceptable Insurance Companies in India, shall be delivered by the Contractor to the Employer for the Employer's approval before the Start Date. All such insurance shall provide for compensation to be payable in Indian Rupees, along with the types and proportions required to compensate the loss or damage incurred.

13.3 If the Contractor does not provide any of the policies and certificates required, the Employer may affect the insurance which the Contractor should have provided and recover the premiums the Employer has paid, from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due and if warranted, recovered by invoking Performance Security, or other payments due to the contractor.

13.4 Alterations to the terms of insurance shall not be made without the prior approval of the Employer, in writing.

13.5 The parties shall ensure that insurance is as per the applicable laws, and comply with all conditions of the insurance policies.

13.6 It shall be the responsibility of the Contractor to notify the insurance company of any change in the nature and extent of the Works and to ensure the adequacy of the insurance cover at all times during the period of validity of the Contract or the extended period, if any.

## **14. Contractor to Construct the Works and Works to be completed by Contract Completion Date**



- 14.1 The Contractor shall undertake the Works in accordance with the Contract as per instructions of the Engineer.
- 14.2 The Contractor shall commence the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the consent of the Engineer, and complete them by the Contract Completion Date stated in the Contract Data.

## **15 Safety, Security and Protection of the Environment**

- 15.1 The Contractor shall, throughout the execution and completion of the Works, the remedying of any defects therein and during Defect Liability period:
- (a) have full regard for the safety of all persons entitled to be upon the Site, the road user traffic, and keep the Site so far as the same is under his control and the Works so far as the same are not completed or occupied by the Engineer in an orderly state appropriate to the avoidance of danger to such persons;
  - (b) provide and maintain at his own cost all lights, guards, fencing, warning signs and watching, when and where necessary or required by the Engineer for the protection of the public or others; and
  - (c) take all reasonable steps to protect the environment, on and off the Site, and to avoid damage or nuisance to persons, road user or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation.

The Contractor and his Subcontractors shall abide at all times by all existing enactments on environmental protection and rules made there under, regulations, notifications and bye-laws of the State or Central Government, or local authorities and any other law, bye-law, regulations that may be passed or notification that may be issued in this respect in future by the State or Central Government or the local Employer.

## **16. Working Drawings**

- 16.1 The Contractor shall submit Designs, Specifications and Drawings to the Engineer who will approve these, if they complied with the specifications & Drawings.

## **17. Approval by the Engineer**

- 17.1 The Engineer shall approve the Designs, Specifications and Drawings submitted by the Contractor
- 17.2 The Contractor shall obtain approval of other relevant authorities/agencies (if any like Railways, RPCB etc.) for carrying out Works, where ever required. RIDCOR shall initiate applications to these authorities
- 17.3 The Engineer's approval shall not relieve the Contractor of his obligations.

## **18. Safety of Traffic**

- 18.1 The Contractor shall be responsible for the safety of all traffic related activities on the Site (IRC-SP-55, 2014)

## **19. Discoveries-Deleted**

## **20. Possession of the Site**

20.1 The Employer/Engineer shall give possession of the Site to the Contractor in accordance with the Contract Data. Being existing road in operation, complete length of the site is available to the contractor on the commencement date.

## **21. Access to the Site**

21.1 The Contractor shall allow the Employer/Engineer or its any authorized person or Independent Engineer to access to the Site, to any place where work in connection with the Contract is being carried out or is intended to be carried out and to any place where materials or plant are being manufactured / fabricated / assembled /stored for the Works.

### **21.2 Commencement of the Project**

The Contractor shall commence the Works on Site within the period stated in the Contract Data after signing of the Agreement. Thereafter, the Contractor shall proceed with the Works with due diligence, expedition and without delay.

The requirement to commence the Works at Site shall be fulfilled if:

- (a) A programme has been submitted in accordance with Clause 25 of Conditions of Contract;
- (b) The Contractor's authorized representative, vide Clause 9, with full supporting staff are in position at the Site;
- (c) Equipment, Plant, materials and labour mobilised for the work programmed for execution in the first two months have been mobilized at the Site;
- (d) Submission of insurance policies in accordance with Clause 13 & S. No. 9 of Contract Data; and
- (e) Submission of statutory clearances as per Clause 2 of SCC.

## **22. Instructions**

22.1 The Contractor shall carry out all instructions of the Employer/Engineer pertaining to the Works, which comply with the applicable laws where the Site is located. He shall also comply to the legal and statutory requirements about the execution of works.

## **23. Disputes**

23.1 If either party believes that a decision taken by the Employer/Engineer /Contractor was either outside the Contract or that the decision was wrongly taken, the objecting party may file notice of dispute to the other party stating that it is giving the notice pursuant to this Clause while stating clearly the basis for the dispute within 21 days of the notification of the decision.

23.2 The party receiving the dispute notice will consider it and reply in writing within 28 days of the receipt of the notice. If no reply is received or the reply is not acceptable to the other party, the affected party may refer the dispute for conciliation. Independent Engineer of RIDCOR will be the Dispute Review Expert (DRE) for conciliation. The

decision for conciliation is to be given in 60 days by DRE. In case, conciliation is not successful then the dispute may be referred to Arbitration.

**24. Procedure for Disputes – Arbitration**

- 24.1 The arbitration shall be conducted at RIDCOR office at Jaipur in accordance with the arbitration procedure stated in Clause 5 of the Special Conditions of Contract.

## **B : TIME CONTROL**

### **25. Program**

- 25.1 Within the time stated in the Contract Data, the Contractor shall submit to the Employer for consent, an updated Program for the awarded Works including Quality Control, Traffic Management Plans showing the general methods, arrangements, order, and timing for all the activities in the Works along with monthly cash flow forecast.
- 25.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work including any changes to the sequence of the activities.
- 25.3 If the Contractor does not submit an updated Program within this period as specified in the Contract Data, the Employer/Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the updated Program has been submitted. An updated Program is to show the effect of Variations and Compensation Events.
- 25.4 The Employer/Engineer's approval of the Program shall not relieve the Contractor of his obligations with respect to the contract.

### **26. Extension of the Works Completion Date**

- 26.1 The Employer/Engineer shall extend the Works Completion Date as stated in the Contract Data, if a Compensation Event occurs or a Variation is issued which makes it impossible for completion to be achieved by the stipulated Completion Date, without the Contractor taking steps to accelerate the remaining work and which would cause the Contractor to incur additional cost.
- 26.2 The Engineer shall decide whether and by how much to extend the Works Completion Date, within 28 days of the Contractor asking the Engineer for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Works Completion Date.
- 26.3 Employer/Engineer is fully empowered to grant extension to the Works Completion Date for reasons not attributable to the contractor.

### **27. Delays Ordered by the Employer/Engineer**

- 27.1 The Employer/Engineer may instruct the Contractor to delay the start or progress of any activity within the Works.

### **28 Management Meetings**

- 28.1 Either the Employer/Engineer or the Contractor may require the other to attend a management meeting/site visit. The business of a management meeting shall be to review the progress of work plans for remaining work and to deal with matters raised in

accordance with the early warning procedure and hindrances caused or likely to be caused to the completion of the work.

28.2 The Employer/Engineer shall record the business of management meetings and shall provide copies of his record to those attending the meeting. The responsibility of the parties for actions to be taken is to be decided by the Employer/Engineer either at the management meeting or after the management meeting and stated in writing to all those who attended the meeting. Failure to attend the management meetings/site visits shall attract penalties at the rate indicated in the Contract Data and in case of non-attendance of more than three such meetings/visits by the Contractor, then the same shall be construed as fundamental breach of the Contract in terms of Clause 50.

28.3 Deleted

## **29. Early Warning**

29.1 The Contractor is to warn the Engineer at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the Work, increase the Contract Price or delay the execution of the Works. The Engineer may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Contract Completion Date. The estimate is to be provided by the Contractor as soon as reasonably possible.

29.2 The Contractor shall cooperate with the Employer/Engineer in making and considering proposals as to how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Employer/Engineer.

## C : QUALITY CONTROL

### 30. Identifying Defects

- 30.1 The Employer shall check the Contractor's work through the Engineer, Independent Engineer and notify the Contractor of any Defects that are found. The Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer considers may have a Defect. Such checking/instructions shall not absolve the Contractor of his responsibilities.
- 30.2 The Contractor shall permit the Site visits of the Employer's Technical Auditor/ Engineer/Independent Engineer /Lenders' Engineer to check the Contractor's work and notify the Employer and the Contractor of any Defects that are found. Such a check shall not absolve the Contractor's or the Employer's responsibility as defined in the Contract.

### 31. Tests

- 31.1 The Contractor shall be responsible for carrying out the tests prescribed for the Works.
- 31.2 Deleted.
- 31.3 If the Employer instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a defect and the test shows that it does, the Contractor shall pay for the test and sample. If it shows that the work is not defective, then the Employer shall pay for the test and samples.
- 31.4 The Contractor shall furnish all test results as per the approved Quality Control Plan to the Employer, in a monthly progress report as per Sub Clause 28.4 or at a frequency directed by the Employer. The Employer may withhold payment for those works where test results have not been submitted.
- 31.5 A certificate of having tested the sheeting for following properties and its having passed these tests shall be obtained from International/Government Laboratory Institute, by the manufacturer of the sheeting:
- a. Coefficient of Retro Reflective
  - b. Day time colour & luminance
  - c. 3 years outdoor weathering
  - d. Shrinkage
  - e. Flexibility
  - f. Liner Removal
  - g. Adhesion
  - h. Impact resistance
  - i. Specular gloss
  - j. Fungus Resistance
- Ministry IRC Reference-IRC-67-2022, Page No 10 , Point no 6.7
- 31.6 After completion of work the contractor shall submit Warranty certificate in original for completion of installation of signboards as per requirement of IRC 67:2012. Ministry/IRC Reference: IRC-67 2012, Page no. 19, Warranty & Durability.
- 31.7 **All sign boards to be dated during fabrication with indelible marking to indicate the date of manufacture of the road sign and actual date of installation at site in**

**an unprotected outdoor exposure. Ministry/IRC Reference: MoRTH Section 800, Page no. 334. Warranty and Durability**

**32. Correction of Defects**

- 32.1 The Contractor shall undertake measures to rectify the defects in the Work identified by the Engineer/ Independent Engineer or any of the Employer's authorized representative at the earliest, but not later than the time period specified by the Engineer.
- 32.2 The Defect Liability Period shall be as given in the Contract Data. The Employer/Engineer shall give notice to the Contractor of any defects before the end of the Defect Liability Period. The Defect Liability Period shall be extended for as long as defects remain to be corrected.

**33. Uncorrected Defects**

- 33.1 If the Contractor has not corrected a defect to the satisfaction of the Employer/Engineer/Project Manager/ Independent Engineer, within the time specified in the Employer/Engineer's notice, the Employer/Engineer will assess the cost of having the defect corrected, and the Contractor will pay this amount. In case of failure to pay, the same shall be deducted from any payment due to the Contractor/recovered from his Bank Guarantees/Security Deposit under intimation to the Contractor.

## **D : COST CONTROL**

### **34. Bill of Quantities**

- 34.1 The Bill of Quantities shall contain items for the Works for construction, installation, testing and commissioning works to be executed by the Contractor.
- 34.2 The Bill of Quantities shall be the basis to calculate the payment for the Works. The Contractor is paid for the quantity of the work done as per specifications at the rate in the Bill of Quantities for each item and quoted percentage above/below the total amount.

### **35. Changes in the Quantities**

- 35.1 The change in quantities/amounts due to increase/decrease in the scope of work, that is, Variation in Bill, shall be considered for additional payment as per rates defined in Bill of Quantities and the percentage rate quoted.
- 35.2 If requested by the Engineer, the Contractor shall provide the Engineer with a detailed cost breakdown of rate of any item in the Bill of Quantities.
- 35.3 Director/Manager, RIDCOR is fully empowered to approve the variation and rates for extra / excess items in accordance to the prevailing SoP of RIDCOR.

### **36. Variations**

- 36.1 Item rates approved for each BOQ item shall remain fixed irrespective of any Quantity Variation.
- 36.2 All Variations during implementation of the Works, shall be included in updated Programs produced by the Contractor.

### **37. Payments for Variations**

- 37.1 In the event of variation, the payment for the works done, shall be made as per the provisions stated in Sub Clause 35.1.
- 37.2 If the event of variation is in terms of additional/extra item(s) or substitution of any item(s) in the BOQ with new item(s), then the rates for the items shall be derived as follows:
  - (a) The Contractor shall submit a quotation along with detailed rate analysis for deriving the unit rate for the item(s) with all supporting documents as follows:
    - (i) Such analysis shall be prepared based on the Standard MORT&H Data Book adopting the current PWD schedule of rates applicable to the relevant District of Rajasthan;
    - (ii) In case the data for the item is not available in the Standard MORT&H Data Book, Standard PWD Data Book with current PWD schedule of rates applicable to the relevant District of Rajasthan shall be adopted;



- (iii) In case the data for the item is not available in the Standard MORT&H Data Book as well as in the PWD Data Book, observed data with current PWD schedule of rates applicable to the relevant District of Rajasthan shall be adopted;
- (iv) In case rate for any item is not available in the current schedule of rates, current local market rate for the same shall be adopted for which required supporting documents shall be produced;
- (v) On the new rates, derived through observed data, only 10% would be allowed towards Contractor's administrative and other overheads and profits, taken together.

- (b) If the Contractor's quotation is unreasonable or if the Contractor fails to provide the Engineer with a quotation within a reasonable time specified by the Engineer in accordance with (a), the Engineer may order the Variation and make a change to the Contract Price which shall be based on Engineer's own forecast of the effects of the Variation on the Contractor's costs.

37.3 If the Engineer decides that the variation work is urgent, then in order to avoid delay in execution of the variation work due to non-availability of quotation, the Engineer shall instruct the Contractor in writing, to commence the additional works before the approval of the rate.

37.4 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

37.5 Deleted.

## **38. Cash Flow Forecasts- Deleted**

## **39. Payment Certificates**

### **39.1 Works**

- (a) The Contractor is required to measure the work executed as per specifications under the observation and control of the Engineer. The Contractor shall submit to the Engineer monthly statements of the estimated value of the work executed, less the cumulative amount certified previously and, applicable statutory deductions, outstanding advances supported with detailed measurements of the items of work executed, approved request for inspections (RFI) for the work done during the month, applicable rates and other relevant details, both in hard and soft form along with an abstract statement, in accordance with the provisions of this Contract.
- (b) The Engineer shall ascertain and determine by measurement the value of the work done in accordance with the Contract. The Engineer shall exclude any item in a previous certificate or reduce the proportion of any item previously certified in the light of later information.
- (c) The value of work executed shall comprise the value of quantities of the items at rates in the Bill of Quantities.
- (d) The value of work executed shall include the valuation of Variations.

- (e) Items of the Works for which no rate or price has been provided in the priced BOQ will not be paid for by the Engineer and shall be deemed to be covered by other rates and prices in the Contract.
- (f) The certification and payment methodology for the Works shall be as given below:
  - (i) Contractor to submit a payment request with details of Works completed or partly completed during the calendar month to the Engineer, within seven days from the last date of the particular month;
  - (ii) Within Seven days of receipt of Contractor's RA Bill, Engineer is required to evaluate the payment request in terms of the work executed, and if the Engineer finds the payment request in order, he certifies to pay 70% of eligible payment against the RA Bill, subject to availability of funds. This payment shall be net of recovery in terms of Contract and Taxes to be deducted at source as applicable under the Law.
  - (iii) Subsequent to submission of monthly payment request, Engineer shall check the Contractor's monthly statement within 10 days and certify the amount to be paid to the Contractor after taking into account the recovery of advance payments, as per para (ii). Engineer shall also account for Liquidated Damages and other deductions, Variation in price of bitumen, while arriving at the amount payable to the Contractor.
  - (iv) Employer shall make payments within 30 days for final certified bills to the contractor.
- (g) The Employer shall pay the final bill amount as certified by the Engineer within 90 days from its submission.
- (h) In case of delay in payment, the Contractor shall be paid interest on the late payment. Interest shall be calculated at the rate of 8% p.a. from the date by which the payment should have been made up to the date when the payment is made.

#### **40. Tax**

- 40.1 The rates quoted by the Contractor shall be deemed to be inclusive of GST and all other applicable taxes including duties/royalties/levies as may be levied by Central/State Governments and local bodies that the Contractor will have to pay for the performance of this Contract. The Employer/Engineer will perform such duties in regard to the deduction of such taxes at source as per applicable law on the date of payment of the Contractor's bill.

#### **41. Currencies**

- 41.1 All payments shall be made in Indian Rupees only.

#### **42. Changes in Cost and Legislation- Deleted**

- 42.1 **Price Adjustment -Deleted**

## **42.2 Changes in Legislation**

If, after the last date for submission of tenders for the Contract, there occur changes to any National or State Statute, Ordinance, Decree or other Law or any regulation or bye-law of any local or other duly constituted Employer, or the introduction of any such State Statute, Ordinance, Decree, Law, regulation or bye-law which causes additional or reduced cost to the Contractor, other than under the preceding Sub-Clauses of this Clause, in the execution of the Contract, such additional or reduced cost shall, after due consultation with the Employer shall be added to or deducted from the Contract Price and the Employer shall notify the Contractor accordingly.

## **43. Liquidated Damages and Penalty**

### **43.1 For the Works**

Compensation for delays attributable to the contractor shall be applicable @ 0.03% of Contract Value per day for delay of non-completion of the work within stipulated completion time. Maximum cumulative (total) penalty shall be applicable @5% of the Contract Price.

## **44. Advance Payment**

44.1 The Employer shall, make interest free advance payment to the Contractor, on his request, of the amounts and by the date stated in the Contract Data, against provision by the Contractor of an unconditional Bank Guarantee for an amount equal to the advance payment. The Bank Guarantee, in the prescribed format is acceptable from the following institutions located in India:

- (a) State Bank of India or its subsidiaries;
- (b) Any Indian Nationalized /Scheduled Bank;
- (c) IDBI Bank or Axis Bank or ICICI Bank or HDFC Bank or Yes Bank or AU Small Finance Bank or IDFC First Bank; or
- (d) Foreign Bank with operations in India provided the net worth in respect of the Indian operations shall not be less than Rs 500 crores as per the latest Annual Report of the Bank and that Bank Guarantee is issued by a branch in India.

The guarantee shall remain effective until the advance payment has been fully recovered, but the amount of the guarantee can be progressively reduced by the amounts repaid by the Contractor.

44.2 The Contractor is to use the advance payment only to pay for Equipment, Plant and Mobilization expenses required specifically for execution of the Works. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Employer.

44.3 The advance payment shall be recovered by deducting proportionate amounts as indicated in the Contract Data, from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the Mobilization & Equipment/Plant advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, or liquidated damages.

#### **45. Securities**

The Performance Security (including additional security for unbalanced bids) shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form indicated in Contract Data as acceptable to the Employer, and denominated in Indian Rupees, from:

- (a) State Bank of India or its subsidiaries;
- (b) Any Indian Nationalized Bank;
- (c) IDBI Bank or Axis Bank or ICICI Bank or HDFC Bank or Yes Bank or AU Small Finance Bank or IDFC First Bank; or
- (d) Foreign Bank with operations in India provided the net worth in respect of the Indian operations shall not be less than Rs 500 crores as per the latest Annual Report of the Bank and that Bank Guarantee is issued by a branch in India.

The Performance Security shall be valid for a period of 45 days beyond 12 months after the Works Completion Date. In case, the Works Completion Date is extended, then the Contractor shall substitute fresh Performance Security for the same value valid until a period of 36 months beyond the extended Works Completion Date. The additional security for unbalanced bids shall be valid upto the stipulated completion date or actual date of completion of work, whichever is later.

#### **46. Cost of Maintenance**

- 46.1 Loss or damage to or defective works or materials during the execution of Works shall be remedied by the Contractor at the Contractor's cost to the satisfaction of the Employer/Engineer. No maintenance fee is payable to the contractor.

#### **47. Security Deposit**

- 47.1 The security deposit @5% of the amount in cash shall be deducted from each running bill. This will be released after successful completion of defect liability period.

## **E : FINISHING THE CONTRACT**

### **48. Completion**

- 48.1 The Contractor shall request the Engineer to issue a certificate of completion of the Works and the Engineer shall do so upon deciding that the assigned Work is completed.
- 48.2 Deleted
- 48.3 On satisfactory completion of Defect Liability Period, the Contractor shall request the Engineer to issue a Certificate of Completion of the Contract. The Engineer shall, issue such certificate subject to the Contractor satisfying all provisions under the Contract.

### **49. Final Account**

- 49.1 The Contractor shall supply to the Engineer a detailed account of the total amount that the Contractor considers payable under the Contract within 60 days after the issue of certificate of completion of the Works by the Engineer. The Engineer shall certify any final payment that is due to the Contractor within 60 days of receiving the Contractor's account. If the Engineer is not satisfied with the detailed account, then the Engineer shall issue within 30 days thereto a schedule that states the scope of the corrections or additions that are necessary. If the Contractor fails to comply with the Engineer's instructions within 15 days, Engineer will certify as per the schedule of Corrections or addition sent to contractor and recommend payment to the Contractor within 45 days.

### **50. Termination**

- 50.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.
- 50.2 Fundamental breach of the Contract includes, but shall not be limited to the following:
- (a) the Contractor stops work for 28 days when no stoppage of work is shown on the current program and the stoppage has not been authorized by the Employer/Engineer;
  - (b) the Employer or the Contractor is made bankrupt or goes into liquidation, other than for purposes of reconstruction or amalgamation;
  - (c) a payment for certified bills is not paid by the Employer to the Contractor within 90 days of the date of the Engineer's certificate;
  - (d) the Employer/Engineer gives notice that failure to correct a particular Defect is a fundamental breach of the Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
  - (e) the Contractor does not maintain Performance Security which is required;
  - (f) the Contractor has defaulted in fulfilling his obligations under this Contract;
  - (g) the Contractor has contravened Sub-Clause 9.2;
  - (h) the Contractor does not adhere to the agreed work program as per Clause 25 and also fails to attend the management meetings (Clause 28);
  - (i) the Contractor fails to carry out instructions of the Employer/Engineer within a reasonable time determined by the Engineer in accordance with the Sub Clauses 15.1, and 22.1;

- (j) the Contractor has delayed the completion of the Works beyond the period for which the maximum amount of liquidated damages has become payable as defined in the Contract Data;
- (k) if the Contractor, in the judgment of the Employer has engaged in corrupt, fraudulent or coercive practices as defined in Sub Clause 28.1 (a) of ITB in competing for or in executing the Contract;

50.3 When either party to the Contract gives notice of a breach of contract to the Employer for a cause other than those listed under Sub Clause 50.2, the Employer shall decide whether the breach is fundamental or not.

50.4 Notwithstanding the above, the Employer may terminate the Contract for his official convenience by giving 30 days prior notice due to any reason.

50.5 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonably possible.

## **51. Payment upon Termination**

51.1 If the Contract is terminated because of a fundamental breach of the Contract by the Contractor, the Employer/Engineer shall issue a certificate for the value of the work done less advance payments made up to the date of the issue of the certificate, less other recoveries due in terms of the Contract, less taxes due to be deducted at source as per applicable law and less the percentage to apply to the work not completed as indicated in the Contract Data. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable to the Employer. For this purpose, the performance security furnished by the Contractor shall not be taken into account. The Performance Security furnished by the Contractor shall stand forfeited in favor of the Employer without any restrictions or preconditions.

51.2 If the Contract is terminated at the Employer's convenience or because of a fundamental breach of the Contract by the Employer, the Employer/Engineer shall issue a certificate for the value of the work done, and less advance payments received up to the date of the certificate, less other recoveries due in terms of the Contract and less taxes due to be deducted at source as per applicable law and the Employer/Engineer shall pay this amount. This includes all type of compensations and no other claim will be payable.

## **52. Property**

52.1 If the Contract is terminated because of Contractor's default, all materials on the Site, Plant, Equipment, Temporary works and the Works are deemed to be the property of the Employer, till completion of the work. The Employer shall make use of the available materials and equipment for completion of the Work and pay for these at agreed rates.

## **53. Release from Performance**

53.1 If the Contract is frustrated by the outbreak of war, pandemic or by any other event entirely outside the control of either the Employer or the Contractor, the Employer shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all Works carried out before receiving the certificate and for any work carried out afterwards to which commitment was made.

**54. Details to be Confidential**

54.1 The Contractor shall treat the details of the Contract as private and confidential and shall not publish or disclose the same or any particulars thereof in any trade or technical paper or elsewhere without the previous consent in writing of the Employer. If any dispute arises causing the necessity of any publication or disclosure for the purpose of the Contract, the same shall be referred to the Employer whose determination shall be final.

**55. Life-saving Appliances and First-aid Equipment**

55.1 The Contractor shall provide and maintain upon the Works and the Site, sufficient, proper and efficient life-saving appliances and first-aid equipment, to the satisfaction of the Engineer. A local doctor shall be on call. The appliances and equipment shall be available for use at all times during the pendency of the Contract.

## PART – II : SPECIAL CONDITIONS OF CONTRACT

### Table of Contents

	<b>Page No</b>
<b>A General Clauses</b>	
1 Labour	66
2 Statutory Clearances	66
3 Revision of Quality Control Plan	67
4 Measuring/Monitoring Equipment	67
5 Arbitration	67
<b>B Monitoring of Major Maintenance Works</b>	
6 Monitoring of Maintenance Works	69
7 Site Visits, recording, rectification measures for Maintenance Works	69
Enclosure-1 : Road Defect Rectification Standards	70
<b>Annexure – 3A</b>	72
Monthly Cash Flow Forecast	
<b>Annexure – 3B</b>	73
Format for MPR on behalf of executing agency	



## **PART – II SPECIAL CONDITIONS OF THE CONTRACT (SCC)**

### **A : GENERAL**

#### **1 Labour**

- 1.1 The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or otherwise, and for their payment, housing, feeding and transport and medical assistance.
- 1.2 The Contractor shall, if required by the Employer, deliver to the Employer a return in detail, in such form and at such intervals as the Employer may prescribe, showing the staff and the numbers of the different classes of labour from time to time employed by the Contractor on the Site and such other information as the Employer may require.
- 1.3 During continuance of the Contract, the Contractor and his Sub-Contractors shall abide at all times by all existing labour enactments and rules made thereunder, regulations, notifications and bye laws of the State or Central Government or local Employer and any other labour law (including rules) that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or any competent Employer.
- 1.4 The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent Authority on account of contravention of any of the provisions of any Act or rules made thereunder, regulations or notifications including amendments to labour laws, ESI, PF etc.. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/ Rules/regulations including amendments, if any, on the part of the Contractor, the Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer shall also have the right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.
- 1.5 The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

#### **2 Statutory Clearances**

- 2.1 List of clearances to be obtained by the Employer and the Contractor are given below prior to the start after work. It may be noted that the list below may not be exhaustive and in case any additional clearances are required, the same shall be procured by the Contractor, unless otherwise specified in the Law / guidelines of statutory agencies.

(a) Employer's Responsibility:

NIL

(b) Contractor's Responsibility:

- (i) All police and traffic management related clearances at the work sites;

- (ii) Employing labour and other labour related clearances (ESI / Contract Labour / Health / PF etc.);
- (iii) Electrical connections and Water Supply;
- (iv) Employment of migrant labour;
- (v) Establishing and operating labour camps;
- (vi) Location of fuel storage tanks / containers etc.;
- (vii) All clearances required from the Fire Department; and
- (viii) Any other clearances that are not specifically included in Employer's list and may be required according to prudent utility practices or instructed by Employer.

### **3 Revision of Quality Control Plan**

- 3.1 The Engineer shall instruct the Contractor to revise and/or resubmit his Quality Control Plan, if required before giving approval. The Contractor shall implement any required changes to improve the Quality Control Plan. The approval by the Engineer shall not absolve the Contractor of his responsibilities and obligations under the Contract.

### **4 Measuring / Monitoring Equipment**

- 4.1 The Contractor shall ensure properly calibrated and functional measuring/ monitoring equipment, to the satisfaction of the Engineer, at all times during the Contract.

### **5 Arbitration (Refer GCC Sub Clause 24.1)**

- 5.1 The procedure for arbitration shall be as follows:
- (a) In case of Dispute or difference arising between the Employer and the Contractor relating to any matter arising out of or connected with this agreement referred for arbitration, shall first be settled mutually, otherwise in accordance with the Arbitration and Conciliation Act, 1996 and amendment thereof.
  - (b) The Arbitral Tribunal shall consist of three Arbitrators, one each to be appointed by the Employer and the Contractor. The third Arbitrator shall be chosen by consensus by the two Arbitrators so appointed by the Parties and shall act as the Presiding Arbitrator. In case of failure of the two Arbitrators appointed by the parties to reach upon a consensus within a period of 30 days from the appointment of the Arbitrators, then the Presiding Arbitrator shall be appointed by the Indian Roads Congress on the request of the Employer.
  - (c) If one of the parties fails to appoint its Arbitrator in pursuance of Sub Clauses (a) and (b) within 30 days after receipt of the notice of the appointment of its Arbitrator by the other party, then the Indian Roads Congress shall appoint the Arbitrator on the request of the Employer. In case the Employer fails to do so within 30 days, the Contractor will approach the Indian Roads Congress for appointment of Arbitrator. A

certified copy of the order of the Indian Roads Congress, making such an appointment shall be furnished to each of the parties.

- (d) Arbitration proceedings shall be held at Jaipur at RIDCOR office and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.
- (e) The decision of the majority of Arbitrators shall be final and binding upon both parties. The cost and expenses of Arbitration proceedings will be paid as determined by the Arbitral Tribunal and shared equally by both the parties.
- (f) Performance under the Contract shall continue during the arbitration proceedings and payments due to the Contractor by the Employer shall not be withheld, unless they are the subject matter of the arbitration proceedings.

**B : MONITORING OF MAJOR MAINTENANCE WORK**  
**DELETED**

## **SECTION 4:**

### **CONTRACT DATA**

## CONTRACT DATA

S. No.	Item	Clause Reference of CC																		
1	The Employer is : Director/Manager/Head-Operations Road Infrastructure Development Company of Rajasthan Ltd. (RIDCOR) 701-706, 7 <sup>th</sup> Floor, ARG Corporate Park, Gopalbari, Ajmer Road, Jaipur-302001, Rajasthan Tel.: +91 0141-2747001, Facsimile: +91 0141-2747010, E-mail: <a href="mailto:office@ridcor.in">office@ridcor.in</a> Authorized representative is Project Manager, RIDCOR	1.1 GCC																		
2	The Engineer is Project Manager, RIDCOR or any authorized by RIDCOR	1.1 GCC																		
3	The work is Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)	1.1 GCC																		
4	The Works consists of Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint road Marking on various roads in Rajasthan developed by RIDCOR (Package-2) as per Bill of Quantities	1.1 ITB																		
5	The Start Date shall be the date of signing of the contract agreement for the works (Form 6E, Section 6)	1.1 GCC																		
6	The language of the Contract documents is English	3 GCC																		
7	The law which applies to the Contract is the laws of Union of India	3 GCC																		
8	Deleted	9 GCC 3 ITB																		
9	<p>Insurance requirements are as under:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">S. No.</th> <th style="text-align: center;">Description of Cause</th> <th style="text-align: center;">Minimum Cover of Insurance</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;"><u>During implementation of the Works</u></td> </tr> <tr> <td style="text-align: center;">(i)</td> <td>Contractor's All Risk Policy</td> <td>Contract Price + 15% escalation</td> </tr> <tr> <td style="text-align: center;">(ii)</td> <td>Loss or damage to Machinery and Equipment</td> <td>Sum sufficient to provide replacement at site</td> </tr> <tr> <td style="text-align: center;">(iii)</td> <td>Workmen compensation - Personal injury or death insurance. Unlimited number of accidents. After each accident, Contractor will pay additional premium necessary to increase the limit make insurance valid for unlimited number of accidents always</td> <td>Rs 10 Lacs per person per accident for unlimited number of accidents</td> </tr> <tr> <td style="text-align: center;">(iv)</td> <td>Against liabilities for death or injury to any person or loss of or damage</td> <td>In accordance with statutory requirements, applicable in</td> </tr> </tbody> </table>	S. No.	Description of Cause	Minimum Cover of Insurance	<u>During implementation of the Works</u>			(i)	Contractor's All Risk Policy	Contract Price + 15% escalation	(ii)	Loss or damage to Machinery and Equipment	Sum sufficient to provide replacement at site	(iii)	Workmen compensation - Personal injury or death insurance. Unlimited number of accidents. After each accident, Contractor will pay additional premium necessary to increase the limit make insurance valid for unlimited number of accidents always	Rs 10 Lacs per person per accident for unlimited number of accidents	(iv)	Against liabilities for death or injury to any person or loss of or damage	In accordance with statutory requirements, applicable in	13 GCC
S. No.	Description of Cause	Minimum Cover of Insurance																		
<u>During implementation of the Works</u>																				
(i)	Contractor's All Risk Policy	Contract Price + 15% escalation																		
(ii)	Loss or damage to Machinery and Equipment	Sum sufficient to provide replacement at site																		
(iii)	Workmen compensation - Personal injury or death insurance. Unlimited number of accidents. After each accident, Contractor will pay additional premium necessary to increase the limit make insurance valid for unlimited number of accidents always	Rs 10 Lacs per person per accident for unlimited number of accidents																		
(iv)	Against liabilities for death or injury to any person or loss of or damage	In accordance with statutory requirements, applicable in																		

	<p>to any third-party property India.</p> <p>(v) Any other insurance cover` In accordance with statutory requirements, applicable in India.</p> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>For the above purpose "Roads" include: Main road with service roads, subways, culverts, toe wall, dividing median, crash barriers, electrical poles, separator, public toilets etc. and other infrastructure related to insured trade including sign boards and other property of the project along with electrical fittings, side separator, crash barrier, dividing median various culverts, Cat Eyes, Delineators, W-Beam Crash Barrier, Gantry Sign Boards, Single led Sign Boards, Double legged Sign Boards, Cantilever Sign Boards, Bollards, Road Marking, and other properties of insured.</li> <li>During Defect Liability Period, all the damages are to be repaired by the contractor and damages to completed works due to insurable perils will be paid to the extent of reimbursement from insurance company.</li> </ul>									
10	<p>Contract Completion Date for:</p> <p>(a) Work: - 06 months from the Start Date of the Works. The Employer reserves the right to modify the scope of the work and the period of Contract for additional 6 months on mutual consent basis for which contractor shall not be eligible to submit any claim for such modification.</p> <p>(b) Defect Liability Period: - 36 months after the Works Completion Date.</p>	14 GCC								
11	The Site Possession shall be the date of start of the work	20 GCC								
12	The period between Program Updates shall be 30 days	25 GCC								
13	The amount to be with-held for late submission of an updated Program shall be Rs 10,000/- each time	25 GCC								
14	Penalty for not attending Management Meetings/ Site visits including Weekly Meetings: Rs 5000/- per incidence	28 GCC								
15	The Defects Liability Period is 3 years after the Works Completion Date.	32 GCC								
16	Changes in Cost and Legislation:	42 GCC								
17	<p>Penalty and Liquidated Damages:</p> <table border="1"> <thead> <tr> <th>S. No.</th> <th>Particulars</th> <th>Penalty / Liquidated Damages</th> <th>Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Delay of work</td> <td>Compensation for delays attributable to the contractor shall be applicable @ 0.03% of Contract Value per day for delay of non-completion of the work within stipulated completion time.</td> <td>Maximum cumulative (total) penalty 5% of the Contract Price.</td> </tr> </tbody> </table>	S. No.	Particulars	Penalty / Liquidated Damages	Limit	1	Delay of work	Compensation for delays attributable to the contractor shall be applicable @ 0.03% of Contract Value per day for delay of non-completion of the work within stipulated completion time.	Maximum cumulative (total) penalty 5% of the Contract Price.	43 GCC
S. No.	Particulars	Penalty / Liquidated Damages	Limit							
1	Delay of work	Compensation for delays attributable to the contractor shall be applicable @ 0.03% of Contract Value per day for delay of non-completion of the work within stipulated completion time.	Maximum cumulative (total) penalty 5% of the Contract Price.							
18	Deleted	44								

		GCC
19	<p>The Performance Security shall be for the following minimum amounts equivalent as a percentage of the Contract Price for the Works:</p> <p>Performance Security of 5% of Contract Price plus additional security as 40% of the amount beyond 10% lower than the estimated amount.</p> <p>The standard form of Performance Security acceptable to the Employer shall be an unconditional Bank Guarantee of the type as presented in Section 6 of the Bid Document.</p>	45 GCC



## SECTION 5 : SPECIFICATIONS

<b>Part No</b>	<b>Description</b>	<b>Page no</b>
	<b>Preamble</b>	<b>79</b>
<b>Part I</b>	<b>General Technical Specifications</b>	<b>79</b>
<b>Part II</b>	<b>Supplementary Technical Specifications</b>	<b>79-94</b>

## SECTION : 5

### SPECIFICATIONS

#### 1. Preamble

- 1.1 The Specifications contained herein shall be read in conjunction with the MORTH other Bid Document as specified in Section 1.
- 1.2 Wherever reference is made in the Contract to specific standards/codes to be met by the materials, plant, and other supplies to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant MORTH, IRC standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country of region, other internationally recognized standards and codes specified will be accepted subject to the Employer's prior review and written approval.

#### 2. General Requirement

The Specifications in accordance with which the entire work shall be constructed and maintained by the Contractor are as described hereunder:

##### 2.1 Part I – General Technical Specifications

1. The General Specifications for the Works shall be the “Specifications for Road & Bridge Works” (5<sup>th</sup> Revision 2013, published by IRC) issued by the Ministry of Road Transport & Highways (MORTH), henceforth called MORTH Specification.
2. The General Specifications for the Works shall be the “IRC:67-2022 Code of Practice for Road Sign”.
3. **A reference number along with the type of sheeting, Manufacturer name, month and year of installation should be placed on the back of a sign in a contrasting colour or by indelible marking in characters not exceeding 50 mm in height. Additionally, a 20 Bar code (Quick Response (QR) Code) should be placed on the back side of the sign board with an indelible ink. The details like type of sheeting, manufacturer name, month and year of installation, project details etc. can be fed into this bar code. The size of such bar code shall be restricted to 2 \* 2 inches i.e. 51 mm \* 51 mm and placed at the bottom (either left or right) depending on the location and type of sign.**

##### 2.2 Part II – Supplementary Technical Specifications

The Supplementary Technical Specifications shall comprise of various Amendments/Modifications/Additions to the MORTH referred to in Part – I for particular item of works not already covered in Part – I and Specifications for Building, Sanitary, Electrical and Miscellaneous Works.

- 2.2.1 Where a particular Clause or a part thereof in the “MORTH SPECIFICATIONS” referred in Part-I, has been Amended/Modified/Added upon, and incorporated in

Part-II, such Amendment/Modification/ Addition supersedes the relevant Clause or part of the Clause.

The following Clause A-1 has been added to the "MORTH SPECIFICATIONS

Clause A-1                      Traffic Safety and Control

- 2.2.2 In the absence of any definite provisions on any particular issue in the MORTH Specifications, reference may be made to the latest codes and specifications of IRC, BIS, BS, ASTM, AASHTO in that order. Where even these are silent, the construction and completion of the works shall conform to sound Engineering practice as approved by the Employer and in case of any dispute arising out of the interpretation of the above, the decision of the Employer shall be final and binding on the Contractor

**Amendments/Modifications/Additions to Existing Clauses of General Specifications Referred in the Part – I**

**Clause 102 : Definitions**

The following abbreviations shall be added at the end of Clause 102.

“BIS” : Bureau of Indian Standards

“MORTH” : Ministry of Road Transport & Highways, Govt. of India.

“RIDCOR” : Road Infrastructure Development Company of Rajasthan Ltd.

Add a paragraph at the end of this Clause as under

Wherever in the Specification, the phrase “Condition of Contract” is mentioned, it shall mean General Conditions of Contract and Special Conditions of Contract contained in Section 3 of the Bid Document.

## **ADDITIONAL SPECIFICATIONS FOR PARTICULAR ITEMS OF WORKS NOT COVERED IN PART – I**

Clause – A-2

### **TRAFFIC SAFETY AND CONTROL**

(IRC-SP-55, 2014 to be adopted)

#### **1. Description**

These specifications describe the traffic management and safety measures to be taken by the Contractor throughout the construction period for ensuring the safe and convenient passage of public traffic through the project road on one hand and safety of the project workers on the other. It shall be understood that the Contractor is solely responsible for all the traffic management and safety measures which should be got approved by the Employer prior to taking up any construction work on the project. All relevant latest IRC specifications shall be followed by the contractor and he will be solely responsible for any lapses/accidents etc. due to non-compliance of safety measures etc. throughout the construction period.

Any construction work on or near a public traveled way will pose a set of new situations, which may include diversion of road users on to unfamiliar paths, exposure of road users to moving construction equipment and workers, stacking of construction materials to cause reduction in the space available for public traffic, inadequate space for maneuvering, etc. which may pose several surprises. These may cause to develop hazardous situations in case adequate advance precautions in the form of notification, traffic etc. is not taken. Within the construction area itself, the workers may be handling materials like hot bitumen and moving road construction equipment which may prove to be a cause of serious accident if adequate precaution and safety measures are not taken. Thus, the guiding principles on which the Contractor shall base the traffic management and safety measures will include:

- i) advance warning of road users about the road situation including diversion ahead.
- ii) providing clear and safe demarcated channels for guiding the public traffic.
- iii) providing necessary traffic warning/ guiding devices such as signs, safety cones, pavement markings, red lights, reflecting studs/tapes, etc.
- iv) barricading construction area with CGI sheets so that public traffic steer clear of these and do not come into conflict with construction activities.
- v) providing the project workers with necessary safety gears such as gum boots, luminous yellow jackets, crash helmets etc. as appropriate.

- vi) taking all other necessary measures so that safety is ensured during all hours of day and night.

## 2. Traffic Management and Safety

Any work activity on the project will pose a hazardous situation to the road users. For least disturbance to safe passage of public traffic appropriate traffic management and safety measures should be adopted throughout the work period. In this regard, the working zone in which conflict from safety angle may arise between the road users on one hand and the work activities on the other shall be divided into 4 sub zones, and safety measures to be adopted therefore shall be as described hereunder:

a) Advance Warning Zone

This warning sub-zone is meant to inform, alert and prepare the approaching driver well in advance by providing information regarding the distance and extent/type of hazard ahead so that he is able to reduce the speed and be in readiness to carry out the necessary manoeuvres as he meets with the changed situation. For the operating speeds on the project road, length of this sub-zone shall be 100 mtr. and 500 m, in plain and hilly terrain respectively. Information in this sub-zone will be conveyed through a series of traffic signs, which will include “Men at Work” and the speed reduction signs at the start and middle of this sub-zone.

b) Transition Sub-Zone

This sub-zone is the area in which the traffic is steered and guided into and out of the diverted path around the work sub-zone. This is the most crucial sub-zone from safety angle as vehicles have to be guided on to the diverted path, and most of the movements will be of turning type. The elements for designing this sub-zone are speed of the vehicles, extent of lateral shift and elevation difference between the normal and the diverted paths. The essential safety measures shall include delineation of the travel path and prevention of wayward movements of vehicles by means of barricades, channelizers, red cones, and red lamps during hours of darkness etc., as appropriate.

In the design of this sub-zone adequate attention shall be paid for providing necessary turning radius of the curves, grade to permit for safe passage of animal driven vehicles, drainage and dust-proofing. Where necessary traffic control shall be effected through manual flagging and by battery operated traffic lights during hours of darkness. Where vehicles have to wait, the waiting area shall be demarcated by stop lines.

Length of the sub-zone will generally be between 50 and 100 m.

c) Work Sub-Zone

This is to the area where work activity takes place, and the main concern relates to safety of workers are also prevention of public traffic from entering the work area. In this sub-zone, path of traffic shall be clearly delineated to avoid intrusion of public traffic moving on to the work area or work equipment moving on to the public traffic. It shall be ensured that adequate distance is available between 2 consecutive work zones (2 Km. on urban section and 5-10 km. in rural sections) so that vehicles get sufficient breather space for overtaking slow vehicles, lane adjustment etc. Traffic across this sub-zone

shall be guided through with the help of various traffic control devices, such as signs, delineation of travel path by cones/drums, barricades, luminous tapes etc. as appropriate.

d) Termination Sub-Zone

The sub-zone is intended to inform the road users of the end of the construction zone. This shall be effected through suitable informatory sign boards.

The standard on "Safety During Construction" may be referred for compliance.

### 3. Traffic Control Devices

Traffic control devices in the construction zones perform the crucial task of warning, informing and alerting drivers apart from guiding the vehicle movements so that the drivers of the vehicles as well as the workers on site are not faced with situations posing surprise/hazard, and safe passage to traffic is affected.

The primary traffic control devices used in work sub-zone are signs, delineators, barricades, cones, pylons, pavement marking, flashing lights etc. They shall be such that they are easily understood without any confusion, are clearly visible during day and night, conform to the prevailing speed in immediate vicinity, stable against sudden adverse weather conditions and are easy in installation, renewal and maintenance. Broad details of the different devices are hereunder:

a) Signs

The construction signs fall into 3 major categories namely, regulatory signs, warning signs and guide or informatory sign as defined and detailed in IRC:67-1977, Code of Practice for Road Signs. These signs shall be placed on the left hand side of the travel path.

The common Regulatory signs used in the construction zones are "No Entry", "Road Closed", "Speed Limit" etc. These shall be used in consultation with the local police and / or authorities.

The warning signs to alert the drivers of the possible danger ahead in the working zones are "Lane Closed", "Diversion to other carriageway", "Divided carriageway Starts", "Divided carriageway End", "Two way Traffic" etc. It will be advisable to explain the signs with the help of a rectangular definition plate of size of appropriate to the size of warning triangle and placed 0.15 m below, from the bottom of the triangle.

Guide signs in working zones shall different background colour than the normal informatory signs of IRC : 67-1977, These signs shall have black messages and arrows on yellow (Traffic Yellow of IS : 5-1978) background. The guide signs to e commonly used are "Diversion "Road Ahead Closed", "Sharp Deviation of Rout" etc.

The commonly used temporary signs during work are depicted in the drawings. These should preferably be of reflectorised type to be visible during hours of darkness.

b) Delineators

Delineators are channelizing devices such as cones, traffic cylinders, tapes, drums etc. which are placed in or adjacent to the roadway to guide the driver along a safe path and to control the flow of traffic. These shall normally be

retro-reflectorized for night visibility. IRC: 79-1981 (Recommended Practice for Road Delineators) gives details of some of the delineators. The types of delineators commonly used are traffic cones, drums and barricades.

c) Traffic Cones

Traffic cones shall normally be 0.5 m to 0.75 m high and 0.3 m to 0.4 m diameter or in square shape at the base. These shall be made of plastic or rubber with retro reflectorised red and white band and have suitable anchoring so that they are not easily blown over or displaced. The cones shall be placed close enough together (spacing 3-9m) to give an impression of the continuity. Larger sized cones shall be used for high speeds or where more conspicuous guidance is required.

d) Empty Bitumen Drums

Empty bitumen drums can be used as channelising device since they are highly visible, give the appearance of being formidable objects, thereby commanding the respect of the drivers. These drums can also be of plastic which are lighter, easy to transport and store. As delineators, these drums shall be painted in circumferential strips 0.10 m to 0.15 wide, alternatively in black and white colours.

e) Barricades

Whenever the traffic has to be restricted from entering the work areas such as excavations or material storage sites so that hazardous locations are barred for public and protection to workers is provided, or there is need for separation the two way traffic, barricades shall be used. The barricades may be of portable or fixed type and can be made of wooden planks, metal or other suitable material. The horizontal component facing the traffic shall be made of 0.30 m wide wooden planks joined together and painted in alternate yellow and white strips of 0.15 m width and sloping down at an angle of 45° in the direction of traffic. Suitable support or ballasting shall be provided so that they do not over turn or are not blown away in strong winds. In case of fixed type barricades, a gate or moveable section shall be separately provided to allow the movement of the construction/supervision vehicles.

f) Flagmen

In large construction sites, flagmen with flags and sign paddles shall be effectively used to guide the safe movements. The flags for signaling shall be 0.60m x 0.60m size made of good red cloth and securely fastened to a staff of approximately 1 meter in length. The sign paddles shall conform to IRC:67-1977 and provided with a rigid handle.

For one-way operation at a time hours of darkness, battery operated red/green lights shall be used at either end of the affected section.

#### 4. **Safety and Management Practices**

Measures for providing safe movement of traffic in some of the most commonly occurring work-zones on highways shall be as follows:

a) Detour on Temporary Diversion

In certain situations during the project work period it may become necessary to pass the traffic on temporary diversion constructed parallel to highway.

A temporary diversion road shall basically satisfy the following requirements

- ❖ It shall have smooth horizontal and vertical profile for easy negotiation by vehicles.



- ❖ It shall not get overtopped by flood or drainage discharge under any circumstances.
- ❖ It shall have adequate capacity to cater for the diverted traffic
- ❖ It shall be dust free and shall ensure clear visibility at all times of the day and night. Pavement and riding surface for the diversion will depend on the duration over which the diversion will be used, and shall be as directed by the Employer. The commonly used specifications are mix seal surfacing over 150-200 mm thick WMM constructed on completed sub-grade.
- ❖ It shall be provided with the required safety standards and

The warning for the work ahead shall be provided by the sign “Men at Work” about 1 Km. in advance of the work zone. In addition a supplementary plate indication “Diversion 1Km. Ahead” and a sign “Road closed Ahead” shall be placed. It shall be followed by “Compulsory Turn right/left sign”. The “Detour” and sharp deviation” sign shall be used to guide the traffic on to the diversion. Hazard markers shall be placed where the railings for the cross drainage structures on the diversion start.

b) Switch over of traffic from widened section and vice-versa

In the course of construction widening of the carriageway will have to be taken up in course of construction widening of the carriageway will have to be taken up in stretches with intervening space between two such stretches. This will bring about the situations in which the traffic passing through the widened road would have to pass on and merge with the unwidened section and vice-versa. For such cases, apart from “Men At Work” signs with distance plate in the advance warning zone, the signs indicating “Road Narrowing” or “Road widening” as appropriate shall be installed.

## 5. Precautions for Safety

The following general precautions shall apply to all the work sites.

a) General Measures

- i) All the sign and delineators shall be maintained in clean and brightly painted conditions at all times.
- ii) Adequate lighting arrangements shall be made for proper visibility during night travel through the work area.
- iii) Adequate arrangements for frequent sprinkling of water shall be made to keep the area dust free.

b) For Safety of Workmen

- i) Workmen shall be trained in use of tools and plant.
- ii) Bitumen handling labour shall be given gum boots, spectacles etc.
- iii) First –aids kits shall be provided
- iv) Workers required on site during night hours shall be provided with fluorescent jackets with reflective tapes.

c) For Safety of Road User

- i) As far as possible, the material, equipment and machinery shall be installed/parked in places sufficient away from the berms in the available

road land. Only in avoidable cases the same is allowed near the edge of berms.

- ii) Machinery shall be parked at appropriate places away from the path of public traffic, and shall be provided with red flags and red lights.
- iii) Only minimum quantity of material required for the construction operations shall be collected at site near the public traveled way.

## **6. Safety Audit**

Safety audit shall be conducted periodically on the safety measures adopted during the constructions operations. The main aspects to be covered shall include:

- a) Manpower and their safety
- b) Machinery
- c) Temporary works
- d) Equipment & Vehicles
- e) Material storage and handling
- f) Construction procedures
- g) Environment
- h) Site safety guidelines
- i) Miscellaneous services

The contractor shall constitute special teams from his staff for the above audit, and shall take appropriate corrective measures to the directions of the Employer/Engineer.

# **SECTION 6**

## **SECURITIES AND OTHER FORMS**

## **SECTION 6: SECURITIES AND OTHER FORMS**

Form – 6A	:	Bid Security (Bank Guarantee)
Form – 6B	:	Letter of Acceptance
Form – 6C	:	Performance Securities Bank Guarantee
Form – 6D	:	Performance Bank Guarantee (for Unbalanced Bids)
Form – 6E	:	Form of Agreement
Form – 6F	:	Bank Guarantee for Advance Payment

### **Forms of Securities**

*Acceptable forms of securities are annexed. Bidders should not complete the Performance and Advance Payment Security forms at this time. Only the successful Bidder will be required to provide Performance and Advance Payment Securities in accordance with one of the forms, or in a similar form acceptable to the Employer.*

**BID SECURITY (BANK GUARANTEE)**

WHEREAS, \_\_\_\_\_ [name of Bidder] (hereinafter called "the Bidder") has submitted his Bid dated \_\_\_\_\_ [date] for the works "**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**" (hereinafter called "the Works").

KNOW ALL PEOPLE by these presents that We \_\_\_\_\_ [name of bank] having our registered office at \_\_\_\_\_ (hereinafter called "the Bank") are bound unto Road Infrastructure Development Company of Rajasthan Ltd (hereinafter called "the Employer") in the sum of Rs \_\_\_\_\_ Cr. for which payment well and truly to be made to the said Employer the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ 2024.

THE CONDITIONS of this obligation are:

- (1) If after Bid opening the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid; or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Employer during the period of Bid validity:
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
  - (c) does not accept the correction of the Bid Price pursuant to Clause 12 of ITB;

we undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force for 165 days i.e. upto and including 45 days after the Bid validity period (120 days) as stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

DATE \_\_\_\_\_ SIGNATURE OF THE BANK \_\_\_\_\_

WITNESS \_\_\_\_\_ SEAL \_\_\_\_\_

\_\_\_\_\_  
[signature, name, and address]

**Form – 6B**

*(Please refer Sub-Clause 25.1 of ITB)*

(Letterhead paper of the Employer)

**Letter of Acceptance**

To: [name and address of the Contractor]

[date]

**Sub.: “Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)”**

Dear Sirs,

1. It is hereby confirmed that your Bid received on \_\_\_\_\_ submitted to the Director, Road Infrastructure Development Company of Rajasthan Ltd. (RIDCOR), Jaipur for the work mentioned in the subject above has been accepted for and on behalf of the RIDCOR for an amount mentioned below on rates quoted by you and the terms and conditions as contained in the Bid Document and subsequently addendum/corrigendum issued.
2. The accepted amount of the bid for the above mentioned work in consideration, execution, completion etc. of works by you as prescribed in the Bid Document is Rs. .... (Rupees *In words*).
3. The date of start will be as defined in S. No. 5 of Contract Data.
4. The period of completion of whole work is as defined in S. No. 10 of Contract Data as Contract Completion Date.
5. You are requested to please furnish the Performance Security in the form of Bank Guarantee for an amount equal to 5% of the Contract price within 14 days of receipt of this letter, in accordance with Clause 26 of ITB and Clause 45 of GCC as defined in the Contract Data S. No. 19. The Bank Guarantee will be provided in the proforma given in the Bid Document.
6. You are also requested to sign and execute the Contract Agreement within 28 days, failing which action as stated in Para 26.2 of ITB will be taken.

Yours faithfully,

Authorized Signatory

Name and Title of Signatory

Name of Agency

**PERFORMANCE SECURITIES BANK GUARANTEE**

**To**

**Road Infrastructure Development Company of Rajasthan Ltd. (RIDCOR)**

701-706, 7th Floor, ARG Corporate Park

Gopalbari, Ajmer Road, Jaipur – 302 001, Rajasthan, India

**(the Employer)**

Bank Guarantee No.-----dated ----- for Rs.-----

WHEREAS vide the “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**” Contract dated ----- (hereinafter referred to as “the Contract”), \_\_\_\_\_ [name of Contractor] having its office at \_\_\_\_\_ (hereinafter referred to as the ‘Contractor’ which expression shall unless repugnant to or inconsistent with the context mean and include its successors and assigns) has been awarded by Road Infrastructure Development Company of Rajasthan Ltd, a company incorporated under the Companies Act, 1956 and having its registered office at 701-706, 7th Floor, ARG Corporate Park, Gopalbari, Ajmer Road, Jaipur – 302 001, Rajasthan, India , (hereinafter referred to as the ‘Employer’ which expression shall unless repugnant to or inconsistent with the context mean and include its successors and assigns), the contract for the works “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**”.

AND WHEREAS it has been stipulated by you in the Bid proposal and the said Contract that the Contractor shall furnish you a **Performance Guarantee** on or before the date of signing of the Contract, by a specified **nationalized bank** for the sum specified therein as security for compliance with the Contractor’s obligations in accordance with the Contract and against any breach or non-performance of the terms and conditions contained in the Contract;

AND WHEREAS WE, \_\_\_\_\_ [name of Bank], a body corporate, constituted under [relevant Act] and having its head office at \_\_\_\_\_ and branch office at \_\_\_\_\_ have agreed to furnish a Performance Guarantee for a sum of **Rs** \_\_\_\_\_ (**Rupees** \_\_\_\_\_ **Only**) (hereinafter referred as the guaranteed amount) as security for compliance of the Contractor’s obligations under the Contract;

NOW THEREFORE we hereby affirm that we, as the Guarantor, are responsible to you, on behalf of the Contractor for the guaranteed amount and we irrevocably undertake to pay you, upon your first written demand and without demur or argument, any sum or sums within the limits of the guaranteed amount as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified herein. The guaranteed amount shall be payable merely on demand by the Employer. Any certification or letter stating that the amount claimed in the demand notice is due and payable, signed by a duly authorised official of the Employer to this effect, shall be final, binding and conclusive upon us.

WE hereby agree to pay on demand the guaranteed amount without demur by crediting to the Bank Account of the Employer, the details of which are to be informed to us by you during the validity of the guarantee.

We hereby undertake that this Guarantee is absolute, irrevocable and unconditional and shall be enforceable against us notwithstanding any security or securities comprised in any instrument executed or to be executed by the Contractor in favour of the Employer.

We hereby also agree that this guarantee shall not be wholly or partially satisfied or exhausted by any payments made to or settled with the Employer by the Contractor and shall be valid and binding on us and operative until the expiry of this Guarantee.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

The jurisdiction in relation to this Guarantee shall be the Courts at Jaipur and laws of India shall be applicable. This guarantee shall be valid up to \_\_\_\_\_ (Expiry Date) which will be 45 days beyond 1 year after Works Completion Date. We hereby agree to renew and extend the validity of this Guarantee on request from you. Unless a demand or claim is lodged within the aforesaid time i.e. before Expiry Date, your rights under this Guarantee shall be forfeited and we shall not be liable there under.

WE hereby represent that there is no litigation or arbitration or other proceedings pending against us which could reasonably be expected to have a material adverse effect or change in our ability to perform our obligation under this Guarantee.

Notwithstanding anything contained herein:

- a) our liability under this Guarantee shall not exceed the guaranteed amount i.e. Rs \_\_\_\_\_ (Rupees \_\_\_\_\_ Only)
- b) this guarantee shall be valid up to \_\_\_\_\_ (Expiry Date) and
- c) we shall be liable to pay the guaranteed amount under this Guarantee only and only if we receive a written claim or demand duly signed by a duly authorised official of the Employer before the \_\_\_\_\_ as mentioned above or any other extended date.

**IN WITNESS WHEREOF we have executed this Guarantee on this \_\_\_ day of \_\_\_\_\_,\_\_\_\_\_.**

Signed and delivered by the above named \_\_\_\_\_ through its Authorised Signatory as authorised by its Board Resolution passed on \_\_\_\_\_/Power of Attorney dated [ ].

**In the presence of**



**PERFORMANCE BANK GUARANTEE (FOR UNBALANCED BIDS)**

**To**  
**Road Infrastructure Development Company of Rajasthan Ltd. (RIDCOR)**  
701-706, 7th Floor, ARG Corporate Park  
Gopalbari, Ajmer Road, Jaipur – 302 001, Rajasthan, India  
**(the Employer)**

Bank Guarantee No.-----dated ----- for Rs.-----

WHEREAS vide the “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**” Contract dated \_\_\_\_\_ (hereinafter referred to as “the Contract”), \_\_\_\_\_ [name of Contractor] having its office at \_\_\_\_\_ (hereinafter referred to as the ‘Contractor’ which expression shall unless repugnant to or inconsistent with the context mean and include its successors and assigns) has been awarded by Road Infrastructure Development Company of Rajasthan Ltd, a company incorporated under the Companies Act, 1956 and having its registered office at 701-706, 7th Floor, ARG Corporate Park, Gopalbari, Ajmer Road, Jaipur – 302 001, Rajasthan, India hereinafter referred to as the ‘Employer’ which expression shall unless repugnant to or inconsistent with the context mean and include its successors and assigns), the contract for the works “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**”

AND WHEREAS it has been stipulated by you in the said contract that the Contractor shall furnish you a **Performance Guarantee** for unbalanced Bids on or before the date of signing of the Contract, by a specified / **nationalised bank** for the sum specified therein as additional security for compliance with the Contractor’s obligations in accordance with the relevant Contract condition and against any breach or non-performance of the terms and conditions contained in the Contract;

AND WHEREAS WE, \_\_\_\_\_ [name of Bank], a body corporate, constituted under [relevant Act] and having its head office at \_\_\_\_\_ and branch office at \_\_\_\_\_ have agreed to furnish a Performance Guarantee for a sum of **Rs \_\_\_\_\_ (Rupees \_\_\_\_\_ Only)** (hereinafter referred as the guaranteed amount) as security for compliance of the Contractor’s obligations under the Contract;

NOW THEREFORE we hereby affirm that we, as the Guarantor, are responsible to you, on behalf of the Contractor for the guaranteed amount and we irrevocably undertake to pay you, upon your first written demand and without demur or argument, any sum or sums within the limits of the guaranteed amount as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified herein. The guaranteed amount shall be payable merely on demand by the Employer. Any certification or letter stating that the amount claimed in the demand notice is due and payable, signed by a duly authorised official of the Employer to this effect, shall be final, binding and conclusive upon us.

WE hereby agree to pay on demand the guaranteed amount without demur by crediting to the Bank Account of the Employer, the details of which are to be informed to us by you during the validity of the guarantee.

We hereby undertake that this Guarantee is absolute, irrevocable and unconditional and shall be enforceable against us notwithstanding any security or securities comprised in any instrument executed or to be executed by the Contractor in favour of the Employer.

We hereby also agree that this guarantee shall not be wholly or partially satisfied or exhausted by any payments made to or settled with the Employer by the Contractor and shall be valid and binding on us and operative until the expiry of this Guarantee.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

The jurisdiction in relation to this Guarantee shall be the Courts at Jaipur and laws of India shall be applicable. This guarantee shall be valid up to \_\_\_\_\_ (Expiry Date) which will be 45 days beyond stipulated completion date or actual date of completion of work, whichever is later. We hereby agree to renew and extend the validity of this Guarantee on request from you. Unless a demand or claim is lodged within the aforesaid time i.e. before Expiry Date, your rights under this Guarantee shall be forfeited and we shall not be liable there under.

WE hereby represent that there is no litigation or arbitration or other proceedings pending against us which could reasonably be expected to have a material adverse effect or change in our ability to perform our obligation under this Guarantee.

Notwithstanding anything contained herein:

- d) our liability under this Guarantee shall not exceed the guaranteed amount i.e. Rs \_\_\_\_\_ (Rupees \_\_\_\_\_ Only)
- e) this guarantee shall be valid up to \_\_\_\_\_ (Expiry Date) and
- f) we shall be liable to pay the guaranteed amount under this Guarantee only and only if we receive a written claim or demand duly signed by a duly authorised official of the Employer before the \_\_\_\_\_ as mentioned above or any other extended date.

**IN WITNESS WHEREOF we have executed this Guarantee on this \_\_\_ day of \_\_\_, \_\_\_.**

**Signature**

**Date and place**

**FORM OF AGREEMENT**

**Agreement**

GENTLEMEN

This agreement, made the \_\_\_\_\_ day of \_\_\_\_\_ 2024 between Road Infrastructure Development Company of Rajasthan Ltd. (RIDCOR), 701-706, 7th Floor, ARG Corporate Park, Gopalbari, Ajmer Road, Jaipur – 302 001, Rajasthan, India (hereinafter called “the Employer” which expression shall unless the context otherwise requires, include its successors and assigns) of the one part and \_\_\_\_\_ [name and address of contractor] (hereinafter called “the Contractor” which expression shall unless the context otherwise requires, include its successors and assigns) of the other part.

Whereas the Employer is desirous that the Contractor to execute the works “**Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)**” (hereinafter called “the Works”) and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a contract price as given in this Contract.

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - i) Letter of Acceptance;
  - ii) Contractor’s Bid
  - iii) Contract Data;
  - iv) Conditions of Contract (including Special Conditions of Contract);
  - v) Specifications;
  - ix) Any other document forming part of the Contract.

In witness whereof, the parties thereto have caused this Agreement to be executed the day and year first before written.

Signed, Sealed and Delivered by the said Employer through his authorized representative and the said Contractor through his Power of Attorney Holder:

FOR AND ON BEHALF OF  
Road Infrastructure Development  
Company of Rajasthan Limited  
By

Witness:  
1) Signature \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_

AUTHORIZED REPRESENTATIVE

2) Signature \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FOR AND BEHALF OF  
M/s \_\_\_\_\_  
By

1) Signature \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_

AUTHORIZED REPRESENTATIVE

2) Signature \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## **SECTION 7:**

### **Bill of Quantities (BOQ)**

**for**

**“Supplying and Fixing of Road Signages & Other Road Safety Appurtenance including Thermoplastic Paint Road Marking on various roads in Rajasthan developed by RIDCOR (Package-2)”**

### Bill of Quantities Package -2

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	<b>SIGN BOARDS</b>																
1	Providing and fixing of retro-reflectorised Signs made out of 2 mm thick aluminium sheet bolted & welding on MS angle iron frame of size 40x40x5 mm and in order to make it theft proof <b>additional stiffeners of angle iron 25x25x3mm should be welded to back support angle iron covering aluminium sign plate on average distance of 45 to 60 cms</b> , back side of plate is painted in two coats of epoxy grey paint after etching treatment of plate on both sides.The face of aluminium sheet is fully covered by retro reflective sheeting , having the coefficient of retro reflection determined in accordance with Type-XI, Class-1 ASTM D 4956_ 01a standards and letter / matter in similar type of sheeting or cut out in overlay film.This structure has fixing provisions to posts of M.S. pipe 75mm OD heavy duty(with hold fast of size 30 to 40 cm at bottom)(duly painted in alternate bands of 25 cms.black and white with 2 coats of superior quality of synthetic enamel paint after applying red oxide zinc chromate metal primer) and <b>duly welded to backframe of sign plate</b> , firmly fixed to the ground by means of properly designed foundation with M 20 grade cement concrete minimum60 cm x 60 cm x 75 cm below ground level as per approved drawing including labour and hire charges for machineries involved etc., complete as per Technical Specifications Clause 801, IRC -67 (2022)and as per the Section-5 : Specification of Bid Document and as directed by the Engineer.																
(i)	Advance Direction signs size 1800X 1200 mm 2 Pipe upto top of frame ( Total pipe Ht. 3.9Mtr Apprxox Wt. of 1 Pipe 22Kg)	Nos.	18480	15	2,77,200	4	73,920	11	2,03,280	30	5,54,400	4	73,920		-		-
(ii)	Village name boards Size 600 X 900 mm 2 Pipe upto top of frame( Total pipe Ht. 3.3Mtr Apprxox Wt. of 1 Pipe 18Kg)	Nos.	7475	12	89,700	4	29,900	20	1,49,500	52	3,88,700	0	-		-		-
(iii)	Place Identification signs size 1200 X 900 mm 2 Pipe top of frame ( Total pipe Ht. 3.6Mtr Apprxox Wt. of 1	Nos.	11250		-	4	45,000	29	3,26,250	36	4,05,000	15	1,68,750		-		-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	Pipe 20 Kg)																
(iv)	speed limit boards size 600 X 900 mm 2 Pipe upto top of frame ( Total pipe Ht. 3.3Mtr Apprrox Wt. of 1 Pipe 18Kg)	Nos.	7100		-	2	14,200	4	28,400	10	71,000	0	-		-		-
(v)	Cautionary Sign boards(900 mm triangle) ( Total pipe Ht. 3.3Mtr Apprrox Wt. of 1 Pipe 18Kg)	Nos.	4800	10	48,000	9	43,200	39	1,87,200	181	8,68,800	4	19,200		-		-
(vi)	Stop sign (900mm octogonal) top of frame ( Total pipe Ht. 3.6Mtr Apprrox Wt. of 1 Pipe 20 Kg)	Nos.	7500		-		-	10	75,000	40	3,00,000	5	37,500		-		-
(vii)	Hazard Marker 300X900 mm Pipe upto top of frame	Nos.	2950	2	5,900	5	14,750	44	1,29,800	128	3,77,600	0	-		-		-
(viii)	Chevron sign board size 2 x 600 x 750mm (for either side with 2 plates ) fixed on one post top of frame ( Total pipe Ht. 3.45Mtr Apprrox Wt. of 1 Pipe 19 Kg)	Nos.	7050	18	1,26,900	43	3,03,150	41	2,89,050	0	-	8	56,400	11	77,550		-
(ix)	Chevron Sign Board size 600 X 750 single side. Pipe upto top of frame ( Total pipe Ht. 3.45Mtr Apprrox Wt. of 1 Pipe 19 Kg)		5000		-		-		-	184	9,20,000		-		-		-
(x)	Facility information signs size 600 X 800 Pipe upto top of frame ( Total pipe Ht. 3.45Mtr Apprrox Wt. of 1 Pipe 19 Kg)	Nos.	5100		-		-	8	40,800	21	1,07,100	2	10,200		-		-
(xi)	Mandatory Sign Board having size 600 mm dia Pipe upto top of frame ( Total pipe Ht. 3.3Mtr Apprrox Wt. of 1 Pipe 18Kg)	Nos.	4700		-	1	4,700	12	56,400	26	1,22,200	2	9,400		-		-
(xii)	Keep Left with 400mm dia circle and plate 600 x 450mm welded on pipe of 1.8mtr ht	Nos.	3790		-		-	10	37,900	42	1,59,180	2	7,580		-		-
2	Supply and fixing of Micro Prismatic type Retro-Reflective sign plate made out of 2mm thick Aluminium sheet duly framed by MS angle iron 40x40x5 mm and additional vertical bracing at every 1.2 Mtr,back side of plate is painted in two coats of epoxy grey paint after etching treatment of plate on both sides .The face of the plate is to be covered with Blue/Green Micro Prismatic type Retro-Reflective sheeting and the matter & logo with same type of sheeting/ cut out in overlay film with Type-XI, Class-1 ASTM D 4956 – 01a standard. <b><u>This plate is to be fixed on Overhead/ Cantilever structures</u></b> with the help of G.I. nut bolts Complete, complete as per Technical Specifications Clause 801, IRC -67 (2022)and as per the Section-5 : Specification of Bid Document and as directed by the Engineer.	Sq.m	8736	274	23,93,664	112	9,78,432	476	41,58,336	213	18,60,768	183	15,98,688	40	3,49,440		-
3	Supply and fixing of Micro Prismatic Type Retro	Sq.m	7500		-		-		-		-		-		-		-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	Reflective Sign plate made out of 2 mm thick aluminum sheet to be fixed on existing MS angle iron 40X40X5 mm frame and in order to make it theft proof an additional stiffeners of angle iron of size 25x25x3mm should be welded to back support angle iron covering aluminium sign plate on average distance of 45 to 60 cms. The face of angle iron should be covered by similar sheeting as of plate of sign board and the back side of plate is painted in two coats of epoxy grey paint after etching treatment of plate on both sides. The face of the plate is to be covered with white Micro Prismatic Type Retro Reflective sheeting conforming to Type-XI, Class-1 ASTM D 4956_01a standards and the matter & logo with green/blue coloured overlay film / cut out /screen printing . This plate is to be fixed on <b>Various Sign Board</b> available structures i.e. Chavron , Harzard Marker, Cautionary, Mandatory,Informatory etc. with the help of GI nut bolts duly welded Complete, in all respects as per drawings, complete as per Technical Specifications Clause 801, IRC -67 (2022)and as per the Section-5 : Specification of Bid Document and as directed by the Engineer.																
4	Designing,Supplying and Fixing Overhead /Canopy/ Cantilever and other structures for Sign Boards : Steel work built up trusses of welded tubes including cutting and fixing in position, RCC Foundation, erection with the help of movable crane and applying a coat of red oxide zinc chromate primer, and 2 coats of superior grade enamel paint complete, welded and bolted including special shape of washers, as per contractor's design but excluding over head Sign Board as per approved drawing,Technical Specifications Clause 802 & IRC 67-2022 and as directed by the Engineer	MT	82,000	7	5,74,000	0	-	2	1,64,000	2	1,64,000	1	82,000	6	4,92,000		-
5	Supply and fixing of Micro Prismatic type Retro-Reflective Sheet/Stickers Type-XI, Class-1 ASTM D 4956_01a different sizes in different Colour (Red, Amber, Green, Blue, White etc.), including repair, removal of old or damaged missing letter matter arrow etc on sign plate inclusive of new similar type				-		-		-		-		-		-		-



Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	of sheeting & pasting complete																
(i)	100mm dia size in different Colour (Red, Amber, White)	Nos.	65		-		-		-		-		-		-		-
(ii)	Numeric digits/letters for Sign boards (150mm Size)	Nos.	200		-		-		-		-		-		-		-
(iii)	Numeric digits/letters for Sign boards (75mm Size)	Nos.	146		-		-		-		-		-		-		-
6	Supply & Fixing of Micro Prismatic type Retro-Reflective Sheet Type-XI, Class-1 ASTM D 4956_01a different sizes in different Colour (Red,Amber.Green,Blue,White etc.) on existing toll rate sign boards at toll plazas including preparation of surface, lettering, pasting, transportation of material, equipment, manpower etc. complete as per IRC 67-2022 and as directed by the Engineer	Sqm	5950	1	5,950	24	1,42,800	20	1,19,000	34	2,02,300	10	59,500	7	41,650	3	17,850
	<b>ROAD STUDS</b>				-		-		-		-		-		-		-
7	Supplying and Fixing of Molded Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 13635 kg tested in accordance to ASTM D 4280 and complying specification of Section-5 of IRC-2015 and clauses 804.2.2. of MoRTH and section of IRC:35 2015. The slope to the base shall be 35 +/- 5 degree to base. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer complete at 18m to 36 m centre to centre on edge lanes, lane lines and 1 m centre to centre on pedestrian crossings including fixing, cost of conveyance of all materials to site including labour and hire charges for machineries involved etc., . The contractor shall submit 2 years pre qualified warranty certificate from the manufacturer for satisfactory field performance during the time of bid submission - (3M/Avery Dennison)	Nos.	195	3,533	6,88,984	33,112	64,56,840	2,467	4,81,065	6018	11,73,510	2189	4,26,855	1775	3,46,125	1909	3,72,255
	<b>METAL CRASH BARRIER</b>				-		-		-		-		-		-		-
8	Providing & Fixing Complete Single metal beam crash barrier made out of cold rolled steel strip W profile of 3 mm thick having a minimum yield	LM	3,123		-	237	7,40,151		-	338	10,55,574		-		-		-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	strength of 2400 kg/sqcm, width of 312 mm and depth of corrugation as 83 mm hot dip galvanized of zinc coating @ 550 gm/sq.m. The post and spacer channel is made out of cold rolled channel 150x75x5 mm having minimum yield strength of 2400 kg/sqcm and hot dip galvanized of zinc coating @ 550 gm/sq.m. The total length of post shall be 1900 mm and minimum height of post above foundation shall be 800 mm. The length of spacer channel shall be 330 mm. Job includes neatly fixing new post @ 2m C/C in cement concrete of M20 grade complete (cost included) as directed by the Engineer including fasteners and fixing etc. complete in all respect. as per MOrt&H Specification 811.3 & IS 1364 & IS1367.																
9	Providing & Fixing Complete Double metal beam crash barrier made out of cold rolled steel strip W profile of 3 mm thick having a minimum yield strength of 2400 kg/sqcm, width of 535 mm and depth of corrugation as 83 mm hot dip galvanized of zinc coating @ 550 gm/sq.m. The post and spacer channel is made out of cold rolled channel 150x75x5 mm having minimum yield strength of 2400 kg/sqcm and hot dip galvanized of zinc coating @ 550 gm/sq.m. The total length of post shall be 1900 mm and minimum height of post above concrete foundation shall be 800 mm. The length of spacer channel shall be 330 mm. Job includes neatly fixing new post @ 2m C/C in cement concrete of M20 grade complete (cost included) as directed by the Engineer including fasteners and fixing etc. complete in all respect.	L.m.	4,867	-	0	-	-	-	1388	67,55,396	-	-	-	-	-	-	
10	Supply & fixing of Only W-profile metal beam made out of cold rolled steel strip W profile of 3 mm thick having a minimum yield strength of 2400 kg/sqcm, width of 312mm and depth of corrugation as 83 mm hot dip galvanized of zinc coating @ 550 gm/sq.m. as per specifications or as directed by Engineering including fasteners on existing post after removal of damaged W-profile beam.	L.m.	1,300	-	23	29,900	-	-	-	-	-	-	-	-	-	-	
11	Supply & fixing of Only Spacer channel is made out of cold rolled channel 150x75x5 mm having minimum yield strength of 2400 kg/sqcm and hot dip	Nos.	616	-	555	3,41,880	-	-	-	-	-	-	-	-	-	-	

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	galvanized of zinc coating @ 550 gm/sq.m. as per specifications or as directed by Engineering including fasteners and fixing etc. on existing post after removal of damaged W-profile beam.																
12	Supply & fixing of Only post channel is made out of cold rolled channel 150x75x5 mm having minimum yield strength of 2400 kg/sqcm and hot dip galvanized of zinc coating @ 550 gm/sq.m. The total length of post shall be 1900 mm and minimum height of post above concrete foundation shall be 800 mm. includes neatly fixing new post @ 2m C/C in cement concrete of M20 grade complete (cost included) as per specifications or as directed by Engineering after removal of damaged W-profile beam, Spacer & post.	Nos.	2,800	-	138	3,86,400	-	-	-	-	-	-	-	-	-	-	-
13	Supply & fixing of End Section Fish Plate made out of cold rolled steel strip W profile of 3 mm thick having a minimum yield strength of 2400 kg/sqcm, width of 312mm and depth of corrugation as 83 mm hot dip galvanized of zinc coating @ 550 gm/sq.m. as per specifications or as directed by Engineering fasteners and fixing etc. complete.	Nos.	2,128	-	15	31,920	30	63,840	120	2,55,360	6	12,768	-	-	-	-	-
	<b>DELINEATOR</b>			-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Supply and installation of delineator of of M.S. pipe 90mm x 45mm with reflector 120 x 80mm pasted on 2mm aluminium sheet thickness suitably strengthened by angles upto a height as shown in the drawing. The height of the delineator is to be 1000mm above road crown level and is to be taken to depth of 500 mm below ground level. it is to be anchored with suitable plate 150x150x3 mm. the post will be painted in alternate bands of 15 cm. black and white with 2 coats of superior quality of synthetic enamel paint after applying red oxide zinc chromate metal primer) and fixed with circular M 15 concrete bedding of 450 mm dia and height 600 mm ( inclusive of cost of earth work and concrete). the delineator to be provided with retro reflective sheet Type-XI, Class-1 ASTM D 4959_01a and suitably protected as per drawing, Technical specifications clause 805 and as directed by the Engineer.	Nos.	1,150	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	L-TYPE TRAFFIC BOLLARD type in a 16 gauge :-	Nos.	1875	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	M.S. sheet in a cone shape upper dia of bollard 15cm. and bottom dia 20 cm. with another attachment at top of bollard at right angle 15cm long duly welded at the bottom ring of steel 3Nos. stoving enamel process (1500 centigrade temp. for one hour through electrical oven) and colour white/Epoxy white strengthened with M.S. angle as per side engineer requirement.																
	<b>REFLECTOR</b>				-		-		-		-		-		-		-
16	Providing and fixing of Tree guard reflector made out of 2 mm thick Aluminium sheet fixed with retro - reflectorised sheet of 100 mm dia for tree . having the coefficient of retro reflection determine in accordance with type XI, Class-1 ASTM D 4956_01 standard, including labour and hire charges for machineries involved etc.,complete as per standard specifications and section 800 and as directed by the Engineer.	Nos.	112		-		-		-		-		-		-		-
17	Supply of Micro Prismatic type Retro-Reflective Tap Roll (50mm width) (Red Colour) - Type-IV Class, Class-1 ASTM D 4956_01a	Nos.	32		-		-		-		-		-		-		-
	<b>OTHER SAFETY ITEMS</b>				-		-		-		-		-		-		-
18	Supplying of traffic barrier fabricated out of MS pipes of 50 mm dia and 3.65 mm thick. The frame to be in the form of "A" with three horizontal members suitably inter connected ,the frame to be a length of 2 m,height of 80cm (from ground level),and bottom width 60 cm with retroreflective STOP sign made out of 2mm thick Aluminium sheet duly framed by MS angle iron 40x40x5 mm conforming to Type XI , Class-1 ASTM D4956_01 stadard ,fixed on it and mounted on movable Steel rollers.The cost shall include the cost of application of two coats of red oxide zinc chromate primer and two coats of approved synthetic enamel painting complete.	Nos.	10500		-		-	12	1,26,000	48	5,04,000	6	63,000		-		-
19	Supplying & fixing of Steel rollers on "A" frame traffic barrier fabricated out of MS pipes. The cost shall include the cost of fixtures like nut & bolts etc. complete.	Nos.	550		-		-		-		-	0	-		-		-
20	Supply of set of 4 bucket along with MS Iron stand of 35 x 35 x 5mm angle iron frame for fire fighting	Nos.	4000		-		-	2	8,000	4	16,000	1	4,000		-		-
21	Traffic Cone Made out of LDPE (Low Density Poly				-		-		-		-		-		-		-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	Ethylene) with UV stbilized flurescent orange colour. EVA ( Ethyle Vinyl Acetate ) used to increase flexibility. Four slots provided on top of Cone for locking of hooks to fix plastic chain. Material is flexible & durable that if any vechicle hits Cone will not break & also not damage any part of the vechicle One Refelctive Sleeve of 6 inches width is used around the cone to give reflection during night time. An in-built heavy rubber base is provided so sefety cone will not fall easily due to wind.																
(i)	SIZE Height : 750 mm, Square Base : 385mmx 385 mm: weight : 4340 gms.(Approx.) (Dark eye,Frontier)	Nos.	350		-		-	50	17,500	75	26,250	20	7,000		-		-
(ii)	SIZE: Height : 950 mm, Square Base : 395mmx 395 mm: weight : 5150gms.(Approx.) (Dark eye,Frontier)	Nos.	500		-		-	50	25,000	150	75,000	20	10,000		-		-
22	Supplying of Safety Jackects of 150GSM Cloth (reflecosafe,ajmina,BTC.) with 50 mm retro reflective strip , back ground fluorescent fabric in 100% knitted polyester, 50mm high quality Velcro/zipper closer,Black color binding or self color binding,Over lock shoulders for extra strength, Florescent Colours = Orange & Lime Green having following size-				-		-	-	-		-		-		-		-
(i)	L size	Nos.	120		-		-	5	600	25	3,000		-		-		-
(ii)	XL Size	Nos.	140		-		-	50	7,000	75	10,500	20	2,800		-		-
(iii)	XXL Size	Nos.	175		-		-	10	1,750	70	12,250	2	350		-		-
23	Supply of Safety Helmets ISI marked (RACHET TYPE) for labour (Blue & Yellow Colour), High Density Polyethylene, Standard Size, Electrical Resistance, Flammability Resistance, Heat Resistance, Flexible comfort Chin strap ( Metro Safe dot , King )	Nos.	224		-		-	15	3,360	80	17,920	5	1,120		-		-
24	Supply of Safety Helmets FOR engineers/ supervisor (White Colour),High Density Polyethylene, Standard Size, Electrical Resistance, Flammability Resistance, Heat Resistance, Flexible comfort Chin strap (karam, Honeywell, MSA)	Nos.	213		-		-	15	3,192	40	8,512	5	1,064		-		-
25	Supply of Caution Ribbon, High Visibility of Safety, All weateher rated, UV resistant design, Tear resistant designs, Bright Yellow/wight coclor with black/red lettering for high Visibility.	Rm.	1.456		-		-	3,000	4,368	6,000	8,736		-		-		-
26	Cage for covering the new sign board made up of	Sqm	45		-		-	150	6,750	330	14,850	44	1,980		-		-

Item No.	Description	Unit	Rates	LJ-2		LJ-1		AS		AB		KK		JJ		JU	
				Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt	Qty	Amt
	3.1mm Thick M.S.Welded Wire Mesh has an opening size 50mmX50mm ( duly Painted in Black with 2 coats of superior quality of synthetic enamel paint after applying red oxide zinc chromate metal primer ) and cage will duly welded to back frame of sign plate as per approved drawing including labour and hire charges of machineries involved etc ., complete as per Technical specification and as directed by the engineer.																
	<b>Total</b>				<b>42,10,298</b>		<b>96,37,143</b>		<b>67,13,341</b>		<b>1,64,37,906</b>		<b>26,54,075</b>		<b>13,06,765</b>		<b>3,90,105</b>