REQUEST FOR BID (RFB)

Volume-3

BILL OF QUANTITIES

PREAMBLE

Annexure -I Scope of Services – Routine Maintenance Works:

- 1. Annexure -I given below shall be read in conjunction with the Instructions to Bidders, Service Agreement, General and Special Conditions of Contract and any other relevant documents / data
- 2. The rates to be quoted in Annexure -I shall, except in so far as it is otherwise provided under the Contract, include all labour, supervision, materials, all temporary works and false works, erection, transportation, maintenance, insurance, administrative overheads, PF, ESIC, Safety profit, taxes and duties, together with all general risks, liabilities and obligations set out or implied in the Contract, and including remedy of any defects.
- 3. A lump sum per Km Rate shall be entered for the scope of work defined in Annexure-I. For Annexure II, Labor rate only for the items defined shall be quoted.
- 4. The costs of complying with the provisions of the Contract shall be included in the items provided in the priced Annexure-I.
- 5. The method of measurement of completed work for payment shall be as per Specification.

Providing Services for Execution of Routine Operation and Maintenance Works, Cleaning and Horticulture Works

Project Name:- To be Quoted by the Bidder at the time of Submission of Bid

Sr. No.	Item Description	Unit	Rate/Km /Month ₹	Km	Amount/ Month ₹
a	Median Maintenance : Trimming of plants/shrubs at media, islands rotary, interchanges, toll plaza and truck lay bye along with removal of branches / undesirable vegetation / debris / garbage including supplying & spreading manure, Providing and spreading insecticides / pesticides as and when required as per site conditions and as directed by site In-charge . <i>Penalties will be imposed if any</i> <i>discrepancies will be found in work as per</i> <i>Schedule-V</i> .	Km			
b	Roadside Maintenance: General cleaning and removal of undesirable vegetation/weeds/litter/garbage along with its disposal from site up to ROW Stone as directed by site In-charge with all leads and lifts complete. <i>Penalties will be imposed if</i> <i>any discrepancies will be found in work as</i> <i>per Schedule-V.</i>				
С	Maintenance of Existing plants (median + avenue): A joint inspect ion to count the number of plants present in the median and avenue shall be carried out between the service provider and company and the same shall be handed over to the service provider for monthly maintenance. Without joint counting, the Invoice will not be processed The Service Provider will be required to maintain the number of plants for the entire duration of the contract as found out through thus joint inspection. Penalties will be imposed if any discrepancies will be found in work as per Schedule-V				
d	Watering:				

Bill of Quantities -

Sr. No.	Item Description	Unit	Rate/Km /Month ₹	Km	Amount/ Month ₹
	Watering of all plants/shrubs Planted for				
	aesthetical/e environmental purpose to keep				
	them all the time in healthy state. (As Per				
	IRC SP-21)				
	Penalties will be imposed if any				
	discrepancies will be found in work as per Schedule-V.				
e	Cleaning of Road Furniture (Delineators,				
	Signboards, Crash Barrier, PGR etc.):				
	Cleaning of Road furniture in medians,				
	roadside and service roads, as directed by site				
	in-charge at least once in a month.				
	Penalties will be imposed if any				
	discrepancies will be found in work as per				
	Schedule-V.				
f	Cleaning of Road :				
	Surface cleaning of main carriage way along				
	with paved shoulders and service roads,				
	busbays / truck laybys preferably by				
	mechanical means along with disposal of				
	debris from site as directed by site in-charge				
	with all leads and lifts complete. Also wet				
	cleaning of kerbs will be carried out at least				
	once in two months.				
	Penalties will be imposed if any				
	discrepancies will be found in work as per Schedule-V.				
g	Cleaning of Toilet Blocks:				
C	Toilet Block shall be kept in clean and usable				
	condition throughout the day. The service				
	provider shall provide at least one manpower				
	round the clock for each of the toilet blocks				
	the service provider shall provide all such				
	materials/consumables which are required to				
	keep the toilet block neat and clean. The				
	responsibility of the material available in the				
	toilet blocks will be of the service provider				
	against theft and breakage.				
	Penalties will be imposed if any				
	discrepancies will be found in work as per Schedule-V.				
h	Cleaning of Drains:				
	Cleaning of roadside and median drains				
	wherever required including disposal of				
	sediments, excess material from site with all				
	leads and lifts complete in all respect as				
	directed by the site $in\neg$ charge carrying out.				

Sr. No.	Item Description	Unit	Rate/Km /Month ₹	Km	Amount/ Month ₹
	Penalties will be imposed if any discrepancies will be found in work as per Schedule-V.				
i	Cleaning of Toll Plaza and booths: Cleaning of toll plaza premises, Admin building, toll booth and toll lanes including wet cleaning of road furniture in toll plaza. Penalties will be imposed if any discrepancies will be found in work as per Schedule-V.				
j	Cleaning of Waterway of Structures / Culverts & Structures: Desilting, cleaning of culverts(box, Slab & Pipe), Under pass, bridges, flyovers, ROBs, RE wall, expansion Joint, Drain Spout And Removing of poster Etc. including disposal of excess material from site with all leads and lift complete in all respects as directed by site in-charge. Penalties will be imposed if any discrepancies will be found in work as per Schedule¬V.				
k	Safety during Service: The work zone shall be barricaded as per prevailing IRC Codes and Standards. Minimum quantities of safety material required shall be as mentioned in Schedule- VIII. Penalties will be imposed if any discrepancies will be found in Safety as per Schedule-V.				

Note:

- The service provider shall deploy manpower (labour, supervisor) / material / machinery / equipment / vehicles / tools & tackles and any other items in sync with Scope of Work defined above for effective implementation, monitoring & reporting of work. Mention minimum number of labours needed for the job based on previous years' experience.
- 2. Broomer shall be deployed for cleaning of Road
- 3. Service Provider shall nominate person responsible for day-to-day coordination / communication of the work with Client.
- 4. Quoted rates are inclusive of GST and all other applicable taxes, PF, ESIC and any Statutory Payment
- 5. Item rate shall be inclusive of all material, manpower, equipment cost, royalties, transportation, etc.

- 6. No changes in the item rates shall be considered for adjustment of variation.
- 7. Service Provider shall arrange all the necessary equipment's required to execute the work as per the Standards and Specifications and as per good industrial practice
- 8. TDS shall be deducted at the rates applicable as per provisions of Income Tax Act from Service Provider's running bills. For this purpose, Service Provider shall submit necessary documents / details / information's as may be required by the Company from time to time.
- 9. The Service Provider shall be responsible for compliance as per prevalent Labour Laws including the labour cess compliances and its payment to Authority
- 10. The Service Provider shall arrange for all insurances including Service Provider's equipment if any and its own surrounding property workmen's compensation, group accident, and group Mediclaim. The Company will not be liable for any compensation towards loss of life & property.
- 11. Above Annexure -I with rates shall be submitted on letterhead of the Bidder with signature of authorized signatory and company stamp

Service	Fee (Month	ly): Project	Name					
From	chainage	Km _		to	Km	•	of	(Project
Name)				-	Rupees
				(July (Inc	Incine of CST	<u>n</u>	

Sr. No.	Name of Project	SPV	State	Project Length (Km)	No. of Lanes
1	Hazaribagh Ranchi Section of NH 33 from Km 40+500 to	Hazaribagh Ranchi Expressway Limited	Jharkhand	73.866 (295.464	4 Lane
	Km 144+000	(HREL)		Lane Km)	
2	Ranchi Patratu Dam Ramgarh	Jharkhand Road Project	Jharkhand	35.27	2/4
	Road of SH-2 from Km	Implementation		(103.74	Lane
	0+000 to Km 35.270 (RPR-I)	Company Ltd.		Lane	
		(JRPICL)	<u>xı</u> 11 1	Km)	2 / 1
3	Patratu Dam Ramgarh Road	Jharkhand Road Project	Jharkhand	27.118	2/4
	Stretch of SH-2 from Km	Implementation		(108.472	Lane
	0+000 to 17+118 (RPR – II)	Company Ltd.		Lane	
		(JRPICL)	<u>xı</u> 11 1	Km)	
4	Ranchi Ring Road Section III	Jharkhand Road Project	Jharkhand	36.192	6
	to VI from Km 0+600 to Km	Implementation		(217.152	Lane
	36.19	Company Ltd. (JRPICL)		Lane	
~		· · · · ·	<u> </u>	Km)	4
5	Adityapur to Kandra Road	Jharkhand Road Project	Jharkhand	15.1	4
	from Km 0+000 to Km	Implementation		(60.400	Lane
	15+100	Company Ltd.		Lane	
		(JRPICL)	<u> </u>	Km)	
6	Chowka- Kandra - Chaibasa	Jharkhand Road Project	Jharkhand	68.7	2

Only (Inclusive of GST)

Sr. No.	Name of Project	SPV	State	Project Length (Km)	No. of Lanes
	Road from Km 0+000 to Km 68+700	Implementation Company Ltd. (JRPICL)		(137.40 Lane Km)	Lane
7	Baleshwar Kharagpur Section of NH 06 from Km : 0+000 to Km : 119+300	Baleshwar Kharagpur Expressway Limited (BKEL)	Orrisa & West Bengal	119.30 (477.20 Lane Km)	4 Lane

Annexure II

В	Labour Only Charges for Execution of other Periodic Maintenance Work					
Sr. No.	Item Description	Unit	Labour Only Rate (₹)			
1	Applying two coats of enamel / water based paint over a primer	Sqm				
	coat on concrete surface (Kerb / Crash Barrier / Separator) as					
	directed by the Engineer.					
2	Repair of damaged kerb as per direction of Engineer	Rmt				
3	Removal and / or erection of new metal beam crash barrier as directed by the Engineer	Rmt				
4	Dismantling of Existing Crash Barrier/ Railing	Rmt				
5	Fixing of pedestrian guard rail (PGR) after removing existing	Rmt				
	(PGR) as per direction of the Engineer					
6	Fixing of various type of Stone i.e. 5 th KM, Km, Boundary, Hectometer etc.	No.				
7	Fixing of Traffic Signs	No.				
8	Fixing of Road Studs	No.				
9	Patch Work using Hotmix / Cold Mix Material	Sqm				
10	Repair of Shoulder / Shoulder Maintenance / Filling of Rain Cut	Sqm				
11	Applying Thermoplastic Paint with Drop on Glass Beads for Execution of Pavement Marking as per Technical Specification	Sqm				
	MoRTH Clause 803, IRC 35:2015 & Other Applicable Codal Provisions and as directed by Engineer In-charge. – All					
10	machinery in scope of Labour Contractor	ŊŢ				
12	Median Plantation	No.				
13	Avenue Plantation	No.				
14	Repair of Footpath	Sqm Durit				
15	Repair of Concrete Crash Barrier / Parapet Wall / Separator	Rmt Rmt				
16 17	Repair of Random Rubble Masonry Stone					
17	Supply of Extra Unskilled Labour	No. No.				
18 C)	Supply of Extra Semi-skilled Labour Incident Management	INO.				
0)	incluent Management					
Sr. No.	Item Description	Unit	Rate / Month (₹)			
19	Providing Route Patrol Vehicle for 24x7, 365 Days with RPO,	Per				
	Helper etc. for round the clock Patrolling of Project Corridor as	Month				
	per the Provision of the Concession Agreement incl. O&M of RPV, Service, Driver, Fuel all inclusive					
20	Providing Ambulance for 24x7, 365 Days with Driver,	Per				
	Paramedical Officer & Helper etc. having response time of less	Month				
	than or equal to 30 minutes as per the Provision of the					
	Concession Agreement incl. O&M of Ambulance, Service, Driver, Fuel all inclusive					
21	Providing Crane for 24x7, 365 Days with Driver/ Crane	Per				
	Operator, Helper etc. for removal of damaged vehicle blocking	Month				
	the traffic at Project Corridor as per the Provision of the					
	Concession Agreement incl. O&M of Crane, Service, & Fuel all					
	inclusive					

Note:-

- 1. The service provider shall provide Labor rate Only for execution of work with. Material shall be supplied by Company.
- 2. Minor Tools & Tackles like Spade, Chisel, Welding Machine, Brush, Broom etc. which are required for execution of above works shall be provided by the Service Provider.
- 3. Personal Protective Equipment (PPE) like Safety Jackets, Safety Shoes, Gloves, Safety Helmets, Goggles, Mask, etc. shall be provided by the Service Provider.
- 4. Service provider shall maintain and provide detailed record of material consumed while execution of above work and provide this report to the Company at the end of day's work without fail.

SECURITIES AND OTHER FORMS

SECURITIES AND OTHER FORMS

Form-A	:	Form of Bid
Form-B	:	Bid Security (Bank Guarantee)
Form-C	:	Letter of Acceptance
Form – D	:	Deleted
Form-E	:	Deleted
Form-F	:	Deleted
Form-G	:	Deleted
Form-H	:	Bank Guarantee for Advance Payment
Form – I	:	Performance Bank Guarantee

Forms of Securities

Acceptable forms of securities are annexed. Bidders should not complete Advance Payment Security forms at this time. Only the successful Bidder will be required to provide Advance Payment Securities in accordance with one of the forms, or in a similar form acceptable to the Employer.

FORM OF BID

Elsamex Maintenance Services Limited 25th Floor, GIFT 1 Tower, GIFT City, Gandhinagar, Gujarat 382355

Gentlemen,

Sub.: Providing Services for Execution of Routine Operation and Maintenance Works, Cleaning and Horticulture Works – *Name of Project: -_____*

- We offer to execute the Works described above in accordance with the Bidding Documents including Invitation for Bid, Instructions to Bidders, Conditions of Contract, Annexures and Addenda if any for the Prices and sum mentioned in Annexure 1 & of the Bidding Document attached with this letter. As per this, our offer for execution of works at (*Project Name: -*) is ₹______ as per the sum total as given in Annexure 1.
- 2. We understand that you are not bound to accept the lowest or any Bid you receive.
- 3. Unless and until an Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding Contract between us, but without prejudice to your right to withdraw such acceptance under the provisions of the Bid Document.
- 4. We assure you that the criteria based on which we were qualified are valid as of date.
- 5. We agree to abide by this Bid for the period of one hundred eighty (120) days from the closing date of Bid Submission, and it shall remain binding upon us and may be accepted at any time before the expiry of that period.
- 6. We understand that for this Bid, we shall comply with the Eligibility, Bid Validity and Bid Security required as stated in the Bidding documents. We attach herewith our current Income Tax clearance certificate.
- 7. We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988".

Yours faithfully,

Authorized Signature: Name & Title of Signatory: Name of Bidder with official seal: Address :

Form – B (*Please refer Clause 16 of ITB*)

BID SECURITY (BANK GUARANTEE)

Form – C (*Please refer Clause 31 of ITB*)

(Letterhead paper of the Employer)

Letter of Acceptance

To: [name and address of the Service Road]

[date]

Dear Sirs,

- 1. It is hereby confirmed that your Bid received on ______ submitted to the Company for the work mentioned in the subject above has been accepted for and on behalf of the Company for an amount mentioned below on rates quoted by you and the terms and conditions as contained in Volume-1 and Volume-2 of bidding documents and subsequently addendum/corrigendum issued.
- 2. The accepted amount of the bid for the above mentioned work in consideration, execution, completion and maintenance of works by you as prescribed in the bidding documents is as under:

Particulars	Bid amount indicated	Amount of Bid after	Rebate	Bid Amount
	by you	arithmetical	offered	after Rebate
	(in ₹)	corrections		(in ₹.)
		(in ₹)		
Routine O&M				
Works,				
Cleaning and				
Horticulture				
Works				

3. The net accepted amount of the Bid is ₹_____ (₹ *In words*).

Yours faithfully,

Authorized Signatory Name and Title of Signatory Name of Agency

Form – D (Please refer Clause 32 of ITB)

Form – F (*Please refer Clause 31 of ITB*)

Form – G (*Please refer Clause 31 of ITB*)

Form – H

FORMAT FOR PERFORMANCE BANK GUARANTEE

To,

Elsamex Maintenance Services Limited 25th Floor, GIFT 1 Tower, GIFT City, Gandhinagar, Gujarat 382355

WHEREAS:

- (A) (the "<u>Service Provider</u>") and Elsamex Maintenance Services Limited (the "Company") have entered into a Contract Agreement dated (the "Agreement") whereby the Company has awarded Routine Operation and Maintenance Works, Cleaning and Horticulture Works at (Project Name:______), subject to and in accordance with the provisions of the Agreement.
- (B) The Agreement requires the Contractor to furnish a Performance Security to the Client / <u>of Amount Equivalent to One Month of Service Fee</u> as security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the Service Period (as defined in the Agreement).
- (C) We, through our Branch at (the "**Bank**") have agreed to furnish this Bank Guarantee by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

- 1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during the Construction Period, under and in accordance with the Agreement, and agrees and undertakes to pay to the Company /Client, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums upto an aggregate sum of the Guarantee Amount as the Company / Client shall claim, without the Client / Company being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
- 2. A letter from Company/Client that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Company/Client shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during the Construction Period

under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any differences between the Client / Company and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.

- 3. In order to give effect to this Guarantee, the Client / Company shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
- 4. It shall not be necessary, and the Bank hereby waives any necessity, for the Client / Company to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
- 5. The Client / Company shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfilment and/ or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Client / Company against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Client / Company, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Client / Company of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Client / Company or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
- 6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Client / Company in respect of or relating to the Agreement or for the fulfilment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.
- 7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force until the Agreement Period and unless a demand or claim in writing is made by the Client / Company on the Bank under this Guarantee, no later than 6 (six) months from the date of expiry of this Guarantee, all rights of the Client / Company under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.

- 8. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Client / Company in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
- 9. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred Branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Client / Company that the envelope was so posted shall be conclusive.
- 10. This Guarantee shall come into force with immediate effect and shall remain in force and effect for a period of one year and six months or until it is released earlier by the Client / Company pursuant to the provisions of the Agreement.
- 11. This guarantee shall also be operatable at our ______ branch at Mumbai, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment hereunder claimed, the said branch shall accept such invitation letter and make payment of amounts so demanded under the said invocation.

Signed and sealed this day of, 20...... at

SIGNED, SEALED AND DELIVERED For and on behalf of the BANK by:

> (Signature) (Name) (Designation) (Code Number) (Address)

NOTES:

- i. The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- ii. The address, telephone number and other details of the Head Office of the Bank as well as of issuing Branch should be mentioned on the covering letter of issuing Branch.

	Particulars	Unit	
			Project Details
	Project Length (Km)	KM	15.1
	Service/ Roads	KM	15.1
	Project Length (Lane-Km)	Lane-Km	4 LANE WITH SERVICE ROAD 30.2
	Width of Paved Carriageway	Mtr	19 MTRS 1.2 MEDIAN
	Width of Paved Carriageway	Mtr	5.5
	Width of Earthen Shoulder	Mtr	0
	Width of Earthen Shoulder	Mtr	0
	Length Paved Footpath	Rmt	0
	No. of ROB	Nos	0
	No. of Rail level Crossings	Nos	0
11 N	No. of Fly Over / Grade Separator /	Nos	0
	Viaduct/Overpass		0
	No. of Vehicular Underpass	Nos	0
13 N	No. of Pedestrian/ Cattle Underpasses	Nos	0
14 F	Pedestrain foot over bridge	Nos	1
15 N	No. of Major Bridge	Nos	0
16 N	No. of Minor Bridge	Nos	2
17 N	No. of Culverts		
а	a) Slab/ Box/ Arch Culverts	Nos	39
	b) Pipe Culverts	Nos	
18 I	Intersections/Junction		
а	a)Major Junctions	Nos	2
	b) Minor junctions	Nos	21
	c) Median Opening	Nos	15
19 I	Length Metal Beam Crash Barrier - Rmt	Rmt	4718
	Length RCC Crash Barrier - Rmt	Rmt	20500
21 I	Length PGR/ Chain Link Fencing - Rmt	Rmt	600
	No. of Toll Plaza	Nos	2
	No. of Bus Bays	Nos	8
	No. of Truck Lay byes	Nos	0
	No. of Street Lights	Nos	312 DOUBLE ARM 256 SINGLE ARM
	High mast Lighting	Nos	2
20 H	No. of Rest Areas	Nos	0

Project Name - AK

Sr. No.	Particulars	Unit	Project Details
1	Project Length (Km)	KM	114.3
2	Service/ Roads	КМ	27.642
3	Project Length (Lane-Km)	Lane-Km	457.2
4	Width of Paved Carriageway	Mtr	8.5
5	Width of Paved Carriageway	Mtr	3.5
6	Width of Earthen Shoulder	Mtr	1.5
7	Width of Earthen Shoulder	Mtr	1
8	Length Paved Footpath	Rmt	Nil
10	No. of ROB	Nos	4
11	No. of Rail level Crossings	Nos	Nil
12	No. of Fly Over / Grade Separator / Viaduct/Overpass	'Nos	1
13	No. of Vehicular Underpass	Nos	4
14	No. of Pedestrian/ Cattle Underpasses	Nos	41
15	No. of Major Bridge	Nos	6
16	No. of Minor Bridge	Nos	69
17	No. of Culverts		
	a) Slab/ Box/ Arch Culverts	Nos	245
	b) Pipe Culverts	Nos	179
18	Intersections/Junction		
	a)Major Junctions	Nos	11
	b) Minor junctions	Nos	Nil
	c) Median Opening	Nos	40
19	Length Metal Beam Crash Barrier - Rmt	Rmt	76530
20	Length RCC Crash Barrier - Rmt	Rmt	13043.13
21	Length PGR/ Chain Link Fencing - Rmt	Rmt	2100
22	No. of Toll Plaza	Nos	2
23	No. of Bus Bays	Nos	Nil
24	No. of Truck Lay byes	Nos	Nil
25	No. of Street Lights	Nos	500
26	High mast Lighting	Nos	4
27	No. of Rest Areas	Nos	Nil

Project Name - BKEL

Sr. No.	Particulars	Unit	Project Details
1	Project Length (Km)	KM	68.6
2	Service/ Roads	KM	0
3	Project Length (Lane-Km)	Lane-Km	2 LANE WITH GRANULAR SHOULDER 68.6
4	Width of Paved Carriageway	Mtr	10
5	Width of Paved Carriageway	Mtr	0
6	Width of Earthen Shoulder	Mtr	1.2
7	Width of Earthen Shoulder	Mtr	0
8	Length Paved Footpath	Rmt	0
10	No. of ROB	Nos	3
11	No. of Rail level Crossings	Nos	0
12	No. of Fly Over / Grade Separator /	Nos	0
13	No. of Vehicular Underpass	Nos	1
14	No. of Pedestrian/ Cattle Underpasses	Nos	0
15	No. of Major Bridge	Nos	1
16	No. of Minor Bridge	Nos	17
17	No. of Culverts		
	a) Slab/ Box/ Arch Culverts	Nos	89
	b) Pipe Culverts	Nos	0
18	Intersections/Junction		
	a)Major Junctions	Nos	5
	b) Minor junctions	Nos	24
	c) Median Opening	Nos	0
19	Length Metal Beam Crash Barrier Rmt	- Rmt	20845
20	Length RCC Crash Barrier - Rmt	Rmt	0
21	Length PGR/ Chain Link Fencing Rmt	- Rmt	0
22	No. of Toll Plaza	Nos	2
23	No. of Bus Bays	Nos	52
24	No. of Truck Lay byes	Nos	3
25	No. of Street Lights	Nos	195
26	High mast Lighting	Nos	8
27	No. of Rest Areas	Nos	1

Project Name - CKC

Sr. No.	Project Name -HREL Particulars	Project Details
1	Project Length (Km)	73.866 Kms.
2	Service/ Roads	15.210 Kms.
3	Project Length (Lane-Km)	295.464 Kms.
4	Width of Paved Carriageway	8.75
5	Width of Paved Carriageway	0.75
6	Width of Earthern Shoulder (m)	
0	(i) 41600 To 72700	1
	(i) 72700 to 93282	2
	(ii) 72700 to 75282 (iii) 93282 to 115466	1
7	Width of Earthern Shoulder	1
8		
<u> </u>	Paved Footpath	72 966 + 15 210
	Built Up Areas (km)	73.866+15.210
10	No. of ROB	2
11	No. of Rail level Crossings	-
12	No. of Fly Over / Grade Seperator / Viaduct	0
13	No. of Vehicular Underpass	5
14	No. of Pedestrain/ Cattle Underpasses	2
15	No. of Major Bridge	1
16	No. of Minor Bridge	9
17	No. of Culverts	
	a) Slab/ Box/ Arch Culverts	44
	b) Pipe Culverts	106
18	Service/Slip Roads	15.210 Kms.
19	Intersections/Junction	1
20	Major Junctions	2
21	Minor junctions	2
22	Length Metal Beam Crash Barrier - Rmt	21676 Rmt.
23	Length RCC Crash Barrier - Rmt	
24	Length PGR - Rmt	4714 Rmt.
25	No. of Toll Plaza	1
26	No. of Bus Bays	23
27	No. of Truck Lay byes	3
28	No. of Entry/Exit Ramps	0
29	No. of Street Lights	-
_/	(i) Single Arm	72
	(i) Double Arm	430
30	High Mast	130
31	No. of Rest Areas	8
32	No. of Traffic Signs	1752
33	RCC Drain (RMT)	11325
<u> </u>		14096
34	Avenue Plantation	14090

Sr. No.	PR-I Ducia et Dataile		
Sf. NO.	Particulars	Unit	Project Details
1	Project Length (Km)	KM	35.27
2	Service/ Roads	KM	
3	Project Length (Lane-Km)	Lane-Km	103.74
4	Width of Paved Carriageway	Mtr	7/9 Mtr
5	Width of Paved Carriageway	Mtr	
6	Width of Earthen Shoulder	Mtr	1.5
7	Width of Earthen Shoulder	Mtr	1
8	Length Paved Footpath	Rmt	
10	No. of ROB	Nos	
11	No. of Rail level Crossings	Nos	
12	No. of Fly Over / Grade Separator /	/ Nos	
	Viaduct/Overpass		
13	No. of Vehicular Underpass	Nos	
14	No. of Pedestrian/ Cattle Underpasses	Nos	
1.5		D.T.	-
15	No. of Major Bridge	Nos	5
16	No. of Minor Bridge	Nos	
17	No. of Culverts		50
	a) Slab/ Box/ Arch Culverts	Nos	70
1.0	b) Pipe Culverts	Nos	5
18	Intersections/Junction		
	a)Major Junctions	Nos	18
	b) Minor junctions	Nos	3
	c) Median Opening	Nos	0
19	Length Metal Beam Crash Barrier -	·Rmt	4.063
• •	Rmt	_	
20	Length RCC Crash Barrier - Rmt	Rmt	
21	Length PGR/ Chain Link Fencing -	Rmt	4850
	Rmt		
22	No. of Toll Plaza	Nos	
23	No. of Bus Bays	Nos	3
24	No. of Truck Lay byes	Nos	1
25	No. of Street Lights	Nos	240
26	High mast Lighting	Nos	3
27	No. of Rest Areas	Nos	

Project Name - RPR-I

Project Name - RPR-II					
Sr. No.	Particulars	Unit	Project Details		
1	Project Length (Km)	KM	27.12		
2	Service/ Roads	KM			
3	Project Length (Lane-Km)	Lane-Km	99.382		
4	Width of Paved Carriageway	Mtr	7/9 Mtr		
5	Width of Paved Carriageway	Mtr			
6	Width of Earthen Shoulder	Mtr	1-1.5		
7	Width of Earthen Shoulder	Mtr	1		
8	Length Paved Footpath	Rmt			
10	No. of ROB	Nos	4		
11	No. of Rail level Crossings	Nos			
12	No. of Fly Over / Grade Separator / Viaduct/Overpass	Nos			
13	No. of Vehicular Underpass	Nos			
14	No. of Pedestrian/ Cattle Underpasses	Nos			
15	No. of Major Bridge	Nos	0		
16	No. of Minor Bridge	Nos	7		
17	No. of Culverts				
	a) Slab/ Box/ Arch Culverts	Nos	25		
	b) Pipe Culverts	Nos	11		
18	Intersections/Junction				
	a)Major Junctions	Nos	18		
	b) Minor junctions	Nos	39		
	c) Median Opening	Nos	0		
19	Length Metal Beam Crash Barrier - Rmt	Rmt	6226		
20	Length RCC Crash Barrier - Rmt	Rmt			
21	Length PGR/ Chain Link Fencing - Rmt	Rmt	1220		
22	No. of Toll Plaza	Nos			
23	No. of Bus Bays	Nos	4		
24	No. of Truck Lay byes	Nos	1		
25	No. of Street Lights	Nos			
26	High mast Lighting	Nos			
27	No. of Rest Areas	Nos			
28	Toilet Block	Nos			
29	No. of Traffic Signs	Nos	989		
30	Length Line Drain (Close box drain, Median Drain, Side slab drain, median chute)				
31	Earthen Drain	Rmt			
32	Avenue Plantation	Nos	15030		
33	Median Plantation	Nos	5733		
34	Solar Blinker	Nos			

Project Name - RPR-II

Project Name - RRR					
Sr. No.	Particulars	Unit	Project Details		
1	Project Length (Km)	KM	36.192		
2	Service/ Roads	KM	20.89		
3	Project Length (Lane-Km)	Lane-Km	217.152		
4	Width of Paved Carriageway	Mtr	10.75		
5	Width of Paved Carriageway	Mtr	4		
6	Width of Earthen Shoulder	Mtr	1.5		
7	Width of Earthen Shoulder	Mtr	1		
8	Length Paved Footpath	Rmt			
10	No. of ROB	Nos	1		
11	No. of Rail level Crossings/RUB	Nos	1		
12		Nos	2		
13	No. of Vehicular Underpass	Nos	6		
14	No. of Pedestrian/ Cattle Underpasses	Nos			
15	No. of Major Bridge	Nos	3		
16	No. of Minor Bridge	Nos	9		
17	No. of Culverts				
	a) Slab/ Box/ Arch Culverts	Nos	64		
	b) Pipe Culverts	Nos	48		
18	Intersections/Junction				
	a)Major Junctions	Nos	7		
	b) Minor junctions	Nos	20		
	c) Median Opening	Nos	21		
19	Length Metal Beam Crash Barrier - Rmt		9230		
20	Length RCC Crash Barrier - Rmt	Rmt			
21	ž		0		
22	No. of Toll Plaza	Nos			
23	No. of Bus Bays	Nos	20		
24	No. of Truck Lay byes	Nos	4		
25	No. of Street Lights	Nos			
26	High mast Lighting	Nos			
27	No. of Rest Areas	Nos			
28	Toilet Block	Nos			
29	No. of Traffic Signs	Nos			
30	Length Line Drain (Close box drain,				
50	Median Drain, Side slab drain, median chute)				
31	Earthen Drain	Rmt			
32	Avenue Plantation	Nos	5464		
33	Median Plantation	Nos	31305		
34	Solar Blinker	Nos			